

**Molecular Genotyping of Mutational Changes**  
**for Clinical Applications**

1

**Finkelstein SD.** Sayegh R. Bakker A. Swalsky P.  
Determination of tumor aggressiveness in colorectal cancer by K-ras-2 analysis.  
Archives of Surgery. 128(5):526-31; discussion 531-2, 1993 May.

2

**Finkelstein SD.** Sayegh R. Christensen S. Swalsky PA.  
Genotypic classification of colorectal adenocarcinoma. Biologic behavior correlates with K-ras-2 mutation type. Cancer. 71(12):3827-38, 1993 Jun 15.

3

Chozick BS. Weicker ME. Pezzullo JC. Jackson CL. **Finkelstein SD.** Ambler MW. Epstein MH. Finch PW. Pattern of mutant p53 expression in human astrocytomas suggests the existence of alternate pathways of tumorigenesis. Cancer. 73(2):406-15, 1994 Jan 15.

4

**Finkelstein SD.** Sayegh R. Uchman S. Christensen S. Swalsky PA. Bodenheimer H.  
Disease activity of hepatitis C correlates with single-stage polymerase chain reaction detection of hepatitis C virus. American Journal of Clinical Pathology. 101(3):321-6, 1994 Mar.

5

**Finkelstein SD.** Przygodzki R. Pricolo VE. Sayegh R. Bakker A. Swalsky PA. Keller G.  
K-ras-2 topographic genotyping of pancreatic adenocarcinoma. Archives of Surgery. 129(4):367-72; discussion 372-3, 1994 Apr.

6

Paty PB, Lieberman MD, Debnath G, **Finkelstein SD**, Rosen N, Cohen AM  
p21ras-GTP activation is weak in colon cancer cell lines containing aspartate-13 k-ras mutations  
Surgical Forum, 477-478, 1994.

7

Paty PB, Wojciechowicz D, Sayegh R, **Finkelstein SD**, Rosen N  
Ras-GAP Activation in Colon Carcinoma. Surgical Forum, 507-509, 1994.

8

Lieberman MD, Anderson BO, Debnath G, **Finkelstein SD**, Rosen N, Brennan MF, Paty P,  
p21ras and MAP kinase respond to epidermal growth factor (EGF) stimulation in pancreatic adenocarcinoma cell lines. Surgical Forum, 516-518, 1994.

9

Williams ME. Zuckerberg LR. Harris NL. Yang WI. Arnold A. **Finkelstein SD.** Swerdlow SH.  
Mantle cell/centrocytic lymphoma: molecular and phenotypic analysis including analysis of the bcl-1 major translocation cluster by PCR. Current Topics in Microbiology & Immunology. 194:341-6, 1995.

10

Pricolo VE. **Finkelstein SD.** Wu TT. Keller G. Bakker A. Swalsky PA. Bland KI. Prognostic value of TP53 and K-ras-2 mutational analysis in stage III carcinoma of the colon. *American Journal of Surgery.* 171(1):41-6, 1996 Jan.

11

Wu TT. Barnes L. Bakker A. Swalsky PA. **Finkelstein SD.** K-ras-2 and p53 genotyping of intestinal-type adenocarcinoma of the nasal cavity and paranasal sinuses. *Modern Pathology.* 9(3):199-204, 1996 Mar.

12

Waring AJ. Takata M. Rehman I. Rees JL., "Loss of heterozygosity analysis of keratoacanthoma reveals multiple differences from cutaneous squamous cell carcinoma," *British Journal of Cancer.* 73(5):649-53, 1996 Mar.

13

**Finkelstein SD.** Sayegh R. Swalsky PA. Bakker A. Guzman R. Rotman B. Representativeness of microorgans from human colorectal tumors. *In Vitro Cellular & Developmental Biology. Animal.* 32(4):189-91, 1996 Apr.

14

Przygodzki RM. **Finkelstein SD.** Langer JC. Swalsky PA. Fishback N. Bakker A. Guinee DG. Koss M. Travis WD. Analysis of p53, K-ras-2, and C-raf-1 in pulmonary neuroendocrine tumors. Correlation with histological subtype and clinical outcome. *American Journal of Pathology.* 148(5):1531-41, 1996 May.

15

Iftmann M., "Allelic loss on chromosome 10 in prostate adenocarcinoma," *Cancer Research.* 56(9):2143-7, 1996 May 1.

16

Barrett MT. Galipeau PC. Sanchez CA. Emond MJ. Reid BJ., "Determination of the frequency of loss of heterozygosity in esophageal adenocarcinoma by cell sorting, whole genome amplification and microsatellite polymorphisms," *Oncogene.* 12(9):1873-8, 1996 May 2.

17

Papadaki H. Kounelis S. Kapadia SB. Bakker A. Swalsky PA. **Finkelstein SD.** Relationship of p53 gene alterations with tumor progression and recurrence in olfactory neuroblastoma. *American Journal of Surgical Pathology.* 20(6):715-21, 1996 Jun.

18

Papadaki H. **Finkelstein SD.** Kounelis S. Bakker A. Swalsky PA. Kapadia SB. The role of p53 mutation and protein expression in primary and recurrent adenoid cystic carcinoma. *Human Pathology.* 27(6):567-72, 1996 Jun.

19

Ribeiro U. Safatle-Ribeiro AV. Posner MC. Rosendale B. Bakker A. Swalsky PA. Kim R. Reynolds JC. **Finkelstein SD.** Comparative p53 mutational analysis of multiple primary cancers of the upper aerodigestive tract. *Surgery.* 120(1):45-53, 1996 Jul.

20

Przygodzki RM. Moran CA. Suster S. Khan MA. Swalsky PA. Bakker A. Koss MN. **Finkelstein SD**. Primary mediastinal and testicular seminomas: a comparison of K-ras-2 gene sequence and p53 immunoperoxidase analysis of 26 cases. *Human Pathology*. 27(9):975-9, 1996 Sep.

21

Cave H. Guidal C. Elion J. Vilmer E. Grandchamp B., "A low rate of loss of heterozygosity is found at many different loci in childhood B-lineage acute lymphocytic leukemia," *Leukemia*. 10(9):1486-91, 1996 Sep.

22

Przygodzki RM. Koss MN. Moran CA. Langer JC. Swalsky PA. Fishback N. Bakker A. **Finkelstein SD**. Pleomorphic (giant and spindle cell) carcinoma is genetically distinct from adenocarcinoma and squamous cell carcinoma by K-ras-2 and p53 analysis. *American Journal of Clinical Pathology*. 106(4):487-92, 1996 Oct.

23

MacMillan C. Kapadia SB. **Finkelstein SD**. Nalesnik MA. Barnes L. Lymphoepithelial carcinoma of the larynx and hypopharynx: study of eight cases with relationship to Epstein-Barr virus and p53 gene alterations, and review of the literature. [Review] [44 refs] *Human Pathology*. 27(11):1172-9, 1996 Nov.

24

Safatle-Ribeiro AV. Ribeiro Junior U. Reynolds JC. Gama-Rodrigues JJ. Iriya K. Kim R. Bakker A. Swalsky PA. Pinotti HW. **Finkelstein SD**. Morphologic, histologic, and molecular similarities between adenocarcinomas arising in the gastric stump and the intact stomach. *Cancer*. 78(11):2288-99, 1996 Dec 1.

25

**Finkelstein SD**, Przygodzki RM, Pricolo VE, Sakallah SA, Swalsky PA, Bakker A, Lanning R, Bland KI, Cooper DL Prediction of Biological Aggressiveness in Colorectal Cancer by p53/K-ras-2 Topographic Genotyping. *Molecular Diagnosis*, 1: 5-28, 1996.

26

Kanbour-Shakir A, Kounelis S, Papadaki H, Price F, Edwards RP, Kelley JL, Raptis S, Bakker A, Swalsky PA, **Finkelstein SD** Relationship of p53 Genotype to Second Look Recurrence and Survival in Ovarian Epithelial Malignancy. *Molecular Diagnosis*, 1:121-129, 1996.

27

Clarke MR. Landreneau RJ. **Finkelstein SD**. Wu TT. Ohori P. Yousem SA. Extracellular matrix expression in metastasizing and nonmetastasizing adenocarcinomas of the lung. *Human Pathology*. 28(1):54-9, 1997 Jan.

28

Przygodzki RM. **Finkelstein SD**. Keohavong P. Zhu D. Bakker A. Swalsky PA. Soini Y. Ishak KG. Bennett WP. Sporadic and Thorotrast-induced angiosarcomas of the liver manifest frequent and multiple point mutations in K-ras-2. *Laboratory Investigation*. 76(1):153-9, 1997 Jan.

29

Pollack IF. Hamilton RL. **Finkelstein SD**. Campbell JW. Martinez AJ. Sherwin RN. Bozik ME. Gollin SM. The relationship between TP53 mutations and overexpression of p53 and prognosis in malignant gliomas of childhood. *Cancer Research*. 57(2):304-9, 1997 Jan 15.

30

Pricolo VE. **Finkelstein SD**. Hansen K. Cole BF. Bland KI. Mutated p53 gene is an independent adverse predictor of survival in colon carcinoma. *Archives of Surgery*. 132(4):371-4; discussion 374-5, 1997 Apr.

31

Kowalski LD. Kanbour AI. Price FV. **Finkelstein SD**. Christopherson WA. Seski JC. Naus GJ. Burnham JA. Kanbour-Shakir A. Edwards RP. A case-matched molecular comparison of extraovarian versus primary ovarian adenocarcinoma. *Cancer*. 79(8):1587-94, 1997 Apr 15.

32

Pricolo VE. **Finkelstein SD**. Bland KI. Topographic genotyping of colorectal carcinoma: from a molecular carcinogenesis model to clinical relevance. [Review] [89 refs]. *Annals of Surgical Oncology*. 4(3):269-78, 1997 Apr-May.

33

Keohavong P. Zhu D. Whiteside TL. Swalsky P. Bakker A. Elder EM. Siegfried JM. Srivastava S. **Finkelstein SD**. Detection of infrequent and multiple K-ras mutations in human tumors and tumor-adjacent tissues. *Analytical Biochemistry*. 247(2):394-403, 1997 May 1.

34

Shivapurkar N. Huang L. Ruggeri B. Swalsky PA. Bakker A. **Finkelstein SD**. Frost A. Silverberg S. K-ras and p53 mutations in aberrant crypt foci and colonic tumors from colon cancer patients. *Cancer Letters*. 115(1):39-46, 1997 May 1.

35

Tung WS. Shevlin DW. Kaleem Z. Tribune DJ. Wells SA Jr. Goodfellow PJ. "Allelotype of follicular thyroid carcinomas reveals genetic instability consistent with frequent nondisjunctional chromosomal loss," *Genes, Chromosomes & Cancer*. 19(1):43-51, 1997 May.

36

Lander JK. Fan H., "Low-frequency loss of heterozygosity in Moloney murine leukemia virus-induced tumors in BRAKF1/J mice," *Journal of Virology*. 71(5):3940-52, 1997 May.

37

Boige V. Laurent-Puig P. Fouchet P. Flejou JF. Monges G. Bedossa P. Bioulac-Sage P. Capron F. Schmitz A. Olschwang S. Thomas G., "Concerted nonsyntenic allelic losses in hyperploid hepatocellular carcinoma as determined by a high-resolution allelotype," *Cancer Research*. 57(10):1986-90, 1997 May 15.

38

Zhu D. Keohavong P. **Finkelstein SD**. Swalsky P. Bakker A. Weissfeld J. Srivastava S. Whiteside TL. K-ras gene mutations in normal colorectal tissues from K-ras mutation-positive colorectal cancer patients. *Cancer Research*. 57(12):2485-92, 1997 Jun 15.

39

Holst VA. **Finkelstein SD**. Colby TV. Myers JL. Yousem SA. p53 and K-ras mutational genotyping in pulmonary carcinosarcoma, spindle cell carcinoma, and pulmonary blastoma: implications for histogenesis. *American Journal of Surgical Pathology*. 21(7):801-11, 1997 Jul.

40

Visser M. Bras J. Sijmons C. Devilee P. Wijnaendts LC. van der Linden JC. Voute PA. Baas F., "Microsatellite instability in childhood rhabdomyosarcoma is locus specific and correlates with fractional allelic loss," *Proceedings of the National Academy of Sciences of the United States of America*. 93(17):9172-6, 1996 Aug 20.

41

Ashida K. Kishimoto Y. Nakamoto K. Wada K. Shiota G. Hirooka Y. Kamisaki Y. Itoh T. Kawasaki H., "Loss of heterozygosity of the retinoblastoma gene in liver cirrhosis accompanying hepatocellular carcinoma," *Journal of Cancer Research & Clinical Oncology*. 123(9):489-95, 1997.

42

Mori N. Morosetti R. Lee S. Spira S. Ben-Yehuda D. Schiller G. Landolfi R. Mizoguchi H. Koefler HP, "Allelotype analysis in the evolution of chronic myelocytic leukemia," *Blood*. 90(5):2010-4, 1997 Sep 1.

43

Yamada T. De Souza AT. **Finkelstein SD**. Jirtle RL. Loss of the gene encoding mannose 6-phosphate/insulin-like growth factor II receptor is an early event in liver carcinogenesis. *Proceedings of the National Academy of Sciences of the United States of America*. 94(19):10351-5, 1997 Sep 16.

44

Liloglou T. Scholes AG. Spandidos DA. Vaughan ED. Jones AS. Field JK, "p53 mutations in squamous cell carcinoma of the head and neck predominate in a subgroup of former and present smokers with a low frequency of genetic instability," *Cancer Research*. 57(18):4070-4, 1997 Sep 15.

45

Jones MW. Kounelis S. Papadaki H. Bakker A. Swalsky PA. **Finkelstein SD**. The origin and molecular characterization of adenoid basal carcinoma of the uterine cervix. [see comments.]. *International Journal of Gynecological Pathology*. 16(4):301-6, 1997 Oct.

46

Haggman MJ. Wojno KJ. Pearsall CP. Macoska JA, "Allelic loss of 8p sequences in prostatic intraepithelial neoplasia and carcinoma," *Urology*. 50(4):643-7, 1997 Oct.

47

Voesten AM. Bijleveld EH. Westerveld A. Hulsebos TJ, "Fine mapping of a region of common deletion on chromosome arm 10p in human glioma," *Genes, Chromosomes & Cancer*. 20(2):167-72, 1997 Oct.

48

Rasheed BK. Stenzel TT. McLendon RE. Parsons R. Friedman AH. Friedman HS. Bigner DD. Bigner SH., "PTEN gene mutations are seen in high-grade but not in low-grade gliomas," *Cancer Research*. 57(19):4187-90, 1997 Oct 1.

49

Wang SI. Puc J. Li J. Bruce JN. Cairns P. Sidransky D. Parsons R., "Somatic mutations of PTEN in glioblastoma multiforme," *Cancer Research*. 57(19):4183-6, 1997 Oct 1.

50

Maintz D. Fiedler K. Koopmann J. Rollbrocker B. Nechev S. Lenartz D. Stangl AP. Louis DN. Schramm J. Wiestler OD. von Deimling A., "Molecular genetic evidence for subtypes of oligoastrocytomas," *Journal of Neuropathology & Experimental Neurology*. 56(10):1098-104, 1997 Oct.

51

Jones MW. Kounelis S. Hsu C. Papadaki H. Bakker A. Swalsky PA. **Finkelstein SD.** Prognostic value of p53 and K-ras-2 topographic genotyping in endometrial carcinoma: a clinicopathologic and molecular comparison. *International Journal of Gynecological Pathology*. 16(4):354-60, 1997 Oct.

52

Sheu JC., "Molecular mechanism of hepatocarcinogenesis," *Journal of Gastroenterology & Hepatology*. 12(9-10):S309-13, 1997 Oct.

53

Vortmeyer AO. Lubensky IA. Fogt F. Linehan WM. Khettry U. Zhuang Z. Allelic deletion and mutation of the von Hippel-Lindau (VHL) tumor suppressor gene in pancreatic microcystic adenomas. *American Journal of Pathology*. 151(4):951-6, 1997 Oct.

54

Tamura S. Nakamori S. Kuroki T. Sasaki Y. Furukawa H. Ishikawa O. Imaoka S. Nakamura Y., "Association of cumulative allelic losses with tumor aggressiveness in hepatocellular carcinoma," *Journal of Hepatology*. 27(4):669-76, 1997 Oct.

55

Shiota G. Kishimoto Y. Suyama A. Okubo M. Katayama S. Harada K. Ishida M. Hori K. Suou T. Kawasaki H., "Prognostic significance of serum anti-p53 antibody in patients with hepatocellular carcinoma," *Journal of Hepatology*. 27(4):661-8, 1997 Oct.

56

Sakurada A. Suzuki A. Sato M. Yamakawa H. Orikasa K. Uyeno S. Ono T. Ohuchi N. Fujimura S. Horii A. Infrequent genetic alterations of the PTEN/MMAC1 gene in Japanese patients with primary cancers of the breast, lung, pancreas, kidney, and ovary. *Japanese Journal of Cancer Research*. 88(11):1025-8, 1997 Nov.

57

Fujii H. Inagaki M. Kasai S. Miyokawa N. Tokusashi Y. Gabrielson E. Hruban RH. Genetic progression and heterogeneity in intraductal papillary-mucinous neoplasms of the pancreas. *American Journal of Pathology*. 151(5):1447-54, 1997 Nov.

58

Piao Z. Choi Y. Park C. Lee WJ. Park JH. Kim H., "Deletion of the M6P/IGF2r gene in primary hepatocellular carcinoma," *Cancer Letters*. 120(1):39-43, 1997 Nov 25.

59

Mahlamaki EH. Hoglund M. Gorunova L. Karhu R. Dawiskiba S. Andren-Sandberg A. Kallioniemi OP. Johansson B. Comparative genomic hybridization reveals frequent gains of 20q, 8q, 11q, 12p, and 17q, and losses of 18q, 9p, and 15q in pancreatic cancer. *Genes, Chromosomes & Cancer*. 20(4):383-91, 1997 Dec.

60

Kounelis S. Jones MW. Papadaki H. Bakker A. Swalsky P. **Finkelstein SD**. Carcinosarcomas (malignant mixed mullerian tumors) of the female genital tract: comparative molecular analysis of epithelial and mesenchymal components. *Human Pathology*. 29(1):82-7, 1998 Jan.

61

Hoglund M. Gorunova L. Andren-Sandberg A. Dawiskiba S. Mitelman F. Johansson B. Cytogenetic and fluorescence in situ hybridization analyses of chromosome 19 aberrations in pancreatic carcinomas: frequent loss of 19p13.3 and gain of 19q13.1-13.2. *Genes, Chromosomes & Cancer*. 21(1):8-16, 1998 Jan.

62

Lundin DA. Blank A. Berger MS. Silber JR., "Microsatellite instability is infrequent in sporadic adult gliomas," *Oncology Research*. 10(8):421-8, 1998.

63

Piao Z. Park C. Lee JS. Yang CH. Choi KY. Kim H., "Homozygous deletions of the CDKN2 gene and loss of heterozygosity of 9p in primary hepatocellular carcinoma," *Cancer Letters*. 122(1-2):201-7, 1998 Jan 9.

64

Chou YH. Chung KC. Jeng LB. Chen TC. Liaw YF., "Frequent allelic loss on chromosomes 4q and 16q associated with human hepatocellular carcinoma in Taiwan," *Cancer Letters*. 123(1):1-6, 1998 Jan 16.

65

Piao Z. Park C. Park JH. Kim H., "Allelotype analysis of hepatocellular carcinoma," *International Journal of Cancer*. 75(1):29-33, 1998 Jan 5.

66

Kon H. Sonoda Y. Kumabe T. Yoshimoto T. Sekiya T. Murakami Y., "Structural and functional evidence for the presence of tumor suppressor genes on the short arm of chromosome 10 in human gliomas," *Oncogene*. 16(2):257-63, 1998 Jan 15.

67

Chiariello E. Roz L. Albarosa R. Magnani I. Finocchiaro G., "PTEN/MMAC1 mutations in primary glioblastomas and short-term cultures of malignant gliomas," *Oncogene*. 16(4):541-5, 1998 Jan 29.

68

Zhuang Z. Vortmeyer AO. Applications of tissue microdissection in cancer genetics. [Review] [48 refs] *Cell Vision*. 5(1):43-8, 1998 Jan-Feb.

69

Gleeson CM. Sloan JM. McManus DT. Maxwell P. Arthur K. McGuigan JA. Ritchie AJ. Russell SE. Comparison of p53 and DNA content abnormalities in adenocarcinoma of the oesophagus and gastric cardia. *British Journal of Cancer*. 77(2):277-86, 1998.

70

Palanca-Wessels MC. Barrett MT. Galipeau PC. Rohrer KL. Reid BJ. Rabinovitch PS. Genetic analysis of long-term Barrett's esophagus epithelial cultures exhibiting cytogenetic and ploidy abnormalities. *Gastroenterology*. 114(2):295-304, 1998 Feb.

71

Okami K. Wu L. Riggins G. Cairns P. Goggins M. Evron E. Halachmi N. Ahrendt SA. Reed AL. Hilgers W. Kern SE. Koch WM. Sidransky D. Jen J. Analysis of PTEN/MMAC1 alterations in aerodigestive tract tumors. *Cancer Research*. 58(3):509-11, 1998 Feb 1.

72

Hessman O. Lindberg D. Skogseid B. Carling T. Hellman P. Rastad J. Akerstrom G. Westin G. Mutation of the multiple endocrine neoplasia type 1 gene in nonfamilial, malignant tumors of the endocrine pancreas. *Cancer Research*. 58(3):377-9, 1998 Feb 1.

73

Nakamura H. Yoshida M. Tsuiki H. Ito K. Ueno M. Nakao M. Oka K. Tada M. Kochi M. Kuratsu J. Ushio Y. Saya H., "Identification of a human homolog of the *Drosophila* neuralized gene within the 10q25.1 malignant astrocytoma deletion region," *Oncogene*. 16(8):1009-19, 1998 Feb 26.

74

**Finkelstein SD**, Tiffée JC, Bakker A, Swalsky P, Barnes L. Malignant Transformation in Sinonasal Papillomas Is Closely Associated With Aberrant p53 Expression. *Molecular Diagnosis*. 1998 Mar;3(1):37-41.

75

Shan L. Nakamura Y. Nakamura M. Yokoi T. Tsujimoto M. Arima R. Kameya T. Kakudo K. Somatic mutations of multiple endocrine neoplasia type 1 gene in the sporadic endocrine tumors. *Laboratory Investigation*. 78(4):471-5, 1998 Apr.

76

Orellana C. Hernandez-Marti M. Martinez F. Castel V. Millan JM. Alvarez-Garijo JA. Prieto F. Badia L., "Pediatric brain tumors: loss of heterozygosity at 17p and TP53 gene mutations," *Cancer Genetics & Cytogenetics*. 102(2):93-9, 1998 Apr 15.

77

Healy E. Belgaid C. Takata M. Harrison D. Zhu NW. Burd DA. Rigby HS. Matthews JN. Rees JL., "Prognostic significance of allelic losses in primary melanoma," *Oncogene*. 16(17):2213-8, 1998 Apr 30.

78

Ng HK. Lam PY., "The molecular genetics of central nervous system tumors," Pathology. 30(2):196-202, 1998 May.

79

Yuan BZ. Miller MJ. Keck CL. Zimonjic DB. Thorgeirsson SS. Popescu NC., "Cloning, characterization, and chromosomal localization of a gene frequently deleted in human liver cancer (DLC-1) homologous to rat RhoGAP," Cancer Research. 58(10):2196-9, 1998 May 15.

80

Yoshimine T. Maruno M. Kumura E. Ghulam Muhammad AK. Ninomiya H. Kato A. Hayakawa T., "Stochastic determination of the chromosomal region responsible for expression of human glial fibrillary acidic protein in astrocytic tumors," Neuroscience Letters. 247(1):29-32, 1998 May 8.

81

Hoglund M. Gorunova L. Jonson T. Dawiskiba S. Andren-Sandberg A. Stenman G. Johansson B. Cytogenetic and FISH analyses of pancreatic carcinoma reveal breaks in 18q11 with consistent loss of 18q12-qter and frequent gain of 18p. British Journal of Cancer. 77(11):1893-9, 1998 Jun.

82

Kimura M. Furukawa T. Abe T. Yatsuoka T. Youssef EM. Yokoyama T. Ouyang H. Ohnishi Y. Sunamura M. Kobari M. Matsuno S. Horii A. Identification of two common regions of allelic loss in chromosome arm 12q in human pancreatic cancer. Cancer Research. 58(11):2456-60, 1998 Jun 1.

83

Su GH. Hilgers W. Shekher MC. Tang DJ. Yeo CJ. Hruban RH. Kern SE. Alterations in pancreatic, biliary, and breast carcinomas support MKK4 as a genetically targeted tumor suppressor gene. Cancer Research. 58(11):2339-42, 1998 Jun 1.

84

Maier D. Zhang Z. Taylor E. Hamou MF. Gratzl O. Van Meir EG. Scott RJ. Merlo A., "Somatic deletion mapping on chromosome 10 and sequence analysis of PTEN/MMAC1 point to the 10q25-26 region as the primary target in low-grade and high-grade gliomas," Oncogene. 16(25):3331-5, 1998 Jun 25.

85

Ribeiro U Jr. **Finkelstein SD**. Safatle-Ribeiro AV. Landreneau RJ. Clarke MR. Bakker A. Swalsky PA. Gooding WE. Posner MC. p53 sequence analysis predicts treatment response and outcome of patients with esophageal carcinoma. Cancer. 83(1):7-18, 1998 Jul 1.

86

Chambon-Pautas C. Cave H. Gerard B. Guidal-Giroux C. Duval M. Vilmer E. Grandchamp B., "High-resolution allelotyping analysis of childhood B-lineage acute lymphoblastic leukemia," Leukemia. 12(7):1107-13, 1998 Jul.

87

Wu TT. Watanabe T. Heitmiller R. Zahurak M. Forastiere AA. Hamilton SR. Genetic alterations in Barrett esophagus and adenocarcinomas of the esophagus and esophagogastric junction region. American Journal of Pathology. 153(1):287-94, 1998 Jul.

88

Aihara T. Noguchi S. Miyoshi Y. Nakano H. Sasaki Y. Nakamura Y. Monden M. Imaoka S., Allelic imbalance of insulin-like growth factor II gene expression in cancerous and precancerous lesions of the liver," *Hepatology*. 28(1):86-9, 1998 Jul.

89

Chung DC. Brown SB. Graeme-Cook F. Tillotson LG. Warshaw AL. Jensen RT. Arnold A., "Localization of putative tumor suppressor loci by genome-wide allelotyping in human pancreatic endocrine tumors," *Cancer Research*. 58(16):3706-11, 1998 Aug 15.

90

Petty EM. Kalikin LM. Orringer MB. Beer DG. Distal chromosome 17q loss in Barrett's esophageal and gastric cardia adenocarcinomas: implications for tumorigenesis. *Molecular Carcinogenesis*. 22(4):222-8, 1998 Aug.

91

**Finkelstein SD.** Przygodzki RM. Swalsky PA Microdissection-based p53 genotyping: Concepts for molecular testing *Molecular Diagnosis*. 3(3):179-191, 1998 Sep.

92

Beghelli S. Pelosi G. Zamboni G. Falconi M. Iacono C. Bordi C. Scarpa A. Pancreatic endocrine tumours: evidence for a tumour suppressor pathogenesis and for a tumour suppressor gene on chromosome 17p. *Journal of Pathology*. 186(1):41-50, 1998 Sep.

93

Hatta Y. Yamada Y. Tomonaga M. Said JW. Miyosi I. Koeffler HP., "Allelotype analysis of adult T-cell leukemia," *Blood*. 92(6):2113-7, 1998 Sep 15.

94

Hulsebos TJ. Oskam NT. Troost D. Leenstra S. Bijleveld EH., "Dynamics of genetic alterations associated with glioma recurrence," *Genes, Chromosomes & Cancer*. 23(2):153-8, 1998 Oct.

95

Wang EH. Ebrahimi SA. Wu AY. Kashefi C. Passaro E Jr. Sawicki MP. Mutation of the MENIN gene in sporadic pancreatic endocrine tumors. *Cancer Research*. 58(19):4417-20, 1998 Oct 1.

96

Holst VA. **Finkelstein SD.** Yousem SA. Bronchioloalveolar adenocarcinoma of lung: monoclonal origin for multifocal disease. *American Journal of Surgical Pathology*. 22(11):1343-50, 1998 Nov.

97

Choi SW. Park SW. Lee KY. Kim KM. Chung YJ. Rhyu MG., "Fractional allelic loss in gastric carcinoma correlates with growth patterns," *Oncogene*. 17(20):2655-9, 1998 Nov 19.

98

Wistuba II. Behrens C. Milchgrub S. Syed S. Ahmadian M. Virmani AK. Kurvari V. Cunningham TH. Ashfaq R. Minna JD. Gazdar AF., "Comparison of features of human breast cancer cell lines and their corresponding tumors," *Clinical Cancer Research*. 4(12):2931-8, 1998 Dec.

99

Perren A. Roth J. Muletta-Feurer S. Saremaslani P. Speel EJ. Heitz PU. Komminoth P. Clonal analysis of sporadic pancreatic endocrine tumours. *Journal of Pathology*. 186(4):363-71, 1998 Dec.

100

Goggins M. Shekher M. Turnacioglu K. Yeo CJ. Hruban RH. Kern SE. Genetic alterations of the transforming growth factor beta receptor genes in pancreatic and biliary adenocarcinomas. *Cancer Research*. 58(23):5329-32, 1998 Dec 1.

101

Mihara M. Nimura Y. Ichimiya S. Sakiyama S. Kajikawa S. Adachi W. Amano J. Nakagawara A., "Absence of mutation of the p73 gene localized at chromosome 1p36.3 in hepatocellular carcinoma," *British Journal of Cancer*. 79(1):164-7, 1999 Jan.

102

Randhawa PS. **Finkelstein SD**. Scantlebury V. Shapiro R. Vivas C. Jordan M. Picken MM. Demetris AJ. Human polyoma virus-associated interstitial nephritis in the allograft kidney. *Transplantation*. 67(1):103-9, 1999 Jan 15.

103

Bigner SH. Rasheed BK. Wiltshire R. McLendon RE., "Morphologic and molecular genetic aspects of oligodendroglial neoplasms," *Neuro-Oncology*. 1(1):52-60, 1999 Jan.

104

Ebrahimi SA. Wang EH. Wu A. Schreck RR. Passaro E Jr. Sawicki MP. Deletion of chromosome 1 predicts prognosis in pancreatic endocrine tumors. *Cancer Research*. 59(2):311-5, 1999 Jan 15.

105

Liew CT. Li HM. Lo KW. Leow CK. Chan JY. Hin LY. Lau WY. Lai PB. Lim BK. Huang J. Leung WT. Wu S. Lee JC., "High frequency of p16INK4A gene alterations in hepatocellular carcinoma," *Oncogene*. 18(3):789-95, 1999 Jan 21.

106

Dunn J. Garde J. Dolan K. Gosney JR. Sutton R. Meltzer SJ. Field JK. Multiple target sites of allelic imbalance on chromosome 17 in Barrett's oesophageal cancer. *Oncogene*. 18(4):987-93, 1999 Jan 28.

107

Steck PA. Lin H. Langford LA. Jasser SA. Koul D. Yung WK. Pershouse MA., "Functional and molecular analyses of 10q deletions in human gliomas," *Genes, Chromosomes & Cancer*. 24(2):135-43, 1999 Feb.

108

Gortz B. Roth J. Krahenmann A. de Krijger RR. Muletta-Feurer S. Rutimann K. Saremaslani P. Speel EJ. Heitz PU. Komminoth P. Mutations and allelic deletions of the MEN1 gene are associated with a subset of sporadic endocrine pancreatic and neuroendocrine tumors and not restricted to foregut neoplasms. *American Journal of Pathology*. 154(2):429-36, 1999 Feb.

109

Kanai Y. Hui AM. Sun L. Ushijima S. Sakamoto M. Tsuda H. Hirohashi S., "DNA hypermethylation at the D17S5 locus and reduced HIC-1 mRNA expression are associated with hepatocarcinogenesis," *Hepatology*. 29(3):703-9, 1999 Mar.

110

Sorio C. Baron A. Orlandini S. Zamboni G. Pederzoli P. Huebner K. Scarpa A. The FHIT gene is expressed in pancreatic ductular cells and is altered in pancreatic cancers. *Cancer Research*. 59(6):1308-14, 1999 Mar 15.

111

Rao UN. Bakker A. Swalsky PA. **Finkelstein SD.**  
Max interacting protein 1: loss of heterozygosity is frequent in desmoplastic melanoma. *Modern Pathology*. 12(4):344-50, 1999 Apr.

112

Hilgers W. Tang DJ. Sugar AY. Shekher MC. Hruban RH. Kern SE. High-resolution deletion mapping of chromosome arm 1p in pancreatic cancer identifies a major consensus region at 1p35. *Genes, Chromosomes & Cancer*. 24(4):351-5, 1999 Apr.

113

Rashid A. Wang JS. Qian GS. Lu BX. Hamilton SR. Groopman JD., "Genetic alterations in hepatocellular carcinomas: association between loss of chromosome 4q and p53 gene mutations," *British Journal of Cancer*. 80(1-2):59-66, 1999 Apr.

114

Piao Z. Kim NG. Kim H. Park C., "Deletion mapping on the short arm of chromosome 8 in hepatocellular carcinoma," *Cancer Letters*. 138(1-2):227-32, 1999 Apr 26.

115

Kawamura N. Nagai H. Bando K. Koyama M. Matsumoto S. Tajiri T. Onda M. Fujimoto J. Ueki T. Konishi N. Shiba T. Emi M., "PTEN/MMAC1 mutations in hepatocellular carcinomas: somatic inactivation of both alleles in tumors," *Japanese Journal of Cancer Research*. 90(4):413-8, 1999 Apr.

116

Al-Sarraj ST., "Molecular genetic analysis of non-astrocytic gliomas," *Histopathology*. 34(4):370-1, 1999 Apr.

117

Tong CY. Ng HK. Pang JC. Hui AB. Ko HC. Lee JC., "Molecular genetic analysis of non-astrocytic gliomas," *Histopathology*. 34(4):331-41, 1999 Apr.

118

Nozaki M. Tada M. Kobayashi H. Zhang CL. Sawamura Y. Abe H. Ishii N. Van Meir EG., "Roles of the functional loss of p53 and other genes in astrocytoma tumorigenesis and progression," *Neuro-Oncology*. 1(2):124-37, 1999 Apr.

119

Bartsch D. Hahn SA. Danichevski KD. Ramaswamy A. Bastian D. Galehdari H. Barth P. Schmiegel W. Simon B. Rothmund M. Mutations of the DPC4/Smad4 gene in neuroendocrine pancreatic tumors. *Oncogene*. 18(14):2367-71, 1999 Apr 8.

120

Zhou XP. Li YJ. Hoang-Xuan K. Laurent-Puig P. Mokhtari K. Longy M. Sanson M. Delattre JY. Thomas G. Hamelin R., "Mutational analysis of the PTEN gene in gliomas: molecular and pathological correlations," *International Journal of Cancer*. 84(2):150-4, 1999 Apr 20.

121

Wistuba II. Bryant D. Behrens C. Milchgrub S. Virmani AK. Ashfaq R. Minna JD. Gazdar AF., "Comparison of features of human lung cancer cell lines and their corresponding tumors," *Clinical Cancer Research*. 5(5):991-1000, 1999 May.

122

Piao Z. Park C. Kim JJ. Kim H., "Deletion mapping of chromosome 16q in hepatocellular carcinoma," *British Journal of Cancer*. 80(5-6):850-4, 1999 May.

123

Barrett MT. Sanchez CA. Prevo LJ. Wong DJ. Galipeau PC. Paulson TG. Rabinovitch PS. Reid BJ. Evolution of neoplastic cell lineages in Barrett oesophagus. *Nature Genetics*. 22(1):106-9, 1999 May.

124

Pineau P. Nagai H. Prigent S. Wei Y. Gyapay G. Weissenbach J. Tiollais P. Buendia MA. Dejean A., "Identification of three distinct regions of allelic deletions on the short arm of chromosome 8 in hepatocellular carcinoma," *Oncogene*. 18(20):3127-34, 1999 May 20.

125

Hammond C. Jeffers L. Carr BI. Simon D., "Multiple genetic alterations, 4q28, a new suppressor region, and potential gender differences in human hepatocellular carcinoma," *Hepatology*. 29(5):1479-85, 1999 May.

126

Liew CT. Li HM. Lo KW. Leow CK. Lau WY. Hin LY. Lim BK. Lai PB. Chan JY. Wang XQ. Wu S. Lee JC., "Frequent allelic loss on chromosome 9 in hepatocellular carcinoma," *International Journal of Cancer*. 81(3):319-24, 1999 May 5.

127

Rasheed BK. Wiltshire RN. Bigner SH. Bigner DD., "Molecular pathogenesis of malignant gliomas," *Current Opinion in Oncology*. 11(3):162-7, 1999 May.

128

Bartsch D. Barth P. Bastian D. Ramaswamy A. Gerdes B. Chaloupka B. Deiss Y. Simon B. Schudy A. Higher frequency of DPC4/Smad4 alterations in pancreatic cancer cell lines than in primary pancreatic adenocarcinomas. *Cancer Letters*. 139(1):43-9, 1999 May 3.

129

Kusano N. Shiraishi K. Kubo K. Oga A. Okita K. Sasaki K., "Genetic aberrations detected by comparative genomic hybridization in hepatocellular carcinomas: their relationship to clinicopathological features," *Hepatology*. 29(6):1858-62, 1999 Jun.

130

Su GH. Hruban RH. Bansal RK. Bova GS. Tang DJ. Shekher MC. Westerman AM. Entius MM. Goggins M. Yeo CJ. Kern SE. Germline and somatic mutations of the STK11/LKB1 Peutz-Jeghers gene in pancreatic and biliary cancers. *American Journal of Pathology*. 154(6):1835-40, 1999 Jun.

131

Partridge M. Emilion G. Falworth M. A'Hern R. Phillips E. Pateromichelakis S. Langdon J., "Patient-specific mutation databases for oral cancer," *International Journal of Cancer*. 84(3):284-92, 1999 Jun 21.

132

Legoix P. Bluteau O. Bayer J. Perret C. Balabaud C. Belghiti J. Franco D. Thomas G. Laurent-Puig P. Zucman-Rossi J., "Beta-catenin mutations in hepatocellular carcinoma correlate with a low rate of loss of heterozygosity," *Oncogene*. 18(27):4044-6, 1999 Jul 8.

133

Thurberg BL. Duray PH. Odze RD. Polypoid dysplasia in Barrett's esophagus: a clinicopathologic, immunohistochemical, and molecular study of five cases. [Review] [37 refs] *Human Pathology*. 30(7):745-52, 1999 Jul.

134

Wooten EC. Fults D. Duggirala R. Williams K. Kyritsis AP. Bondy ML. Levin VA. O'Connell P., "A study of loss of heterozygosity at 70 loci in anaplastic astrocytoma and glioblastoma multiforme with implications for tumor evolution," *Neuro-Oncology*. 1(3):169-76, 1999 Jul.

135

Thangnipon W. Mizoguchi M. Kukita Y. Inazuka M. Iwaki T. Fukui M. Hayashi K., "Distinct pattern of PCR-SSCP analysis of p53 mutations in human astrocytomas," *Cancer Letters*. 141(1-2):195-201, 1999 Jul 1.

136

Nikiforova MN. Nikiforov YE. Biddinger P. Gnepp DR. Grosebacher LA. Wajchenberg BL. Fagin JA. Cohen RM. Frequent loss of heterozygosity at chromosome 3p14.2-3p21 in human pancreatic islet cell tumours.[see comment] *Clinical Endocrinology*. 51(1):27-33, 1999 Jul.

137

Legoix P. Bluteau O. Bayer J. Perret C. Balabaud C. Belghiti J. Franco D. Thomas G. Laurent-Puig P. Zucman-Rossi J., "Beta-catenin mutations in hepatocellular carcinoma correlate with a low rate of loss of heterozygosity," *Oncogene*. 18(27):4044-6, 1999 Jul 8.

138

Smith JS. Alderete B. Minn Y. Borell TJ. Perry A. Mohapatra G. Hosek SM. Kimmel D. O'Fallon J. Yates A. Feuerstein BG. Burger PC. Scheithauer BW. Jenkins RB., "Localization of common deletion regions on 1p and 19q in human gliomas and their association with histological subtype," *Oncogene*. 18(28):4144-52, 1999 Jul 15.

139

**Finkelstein SD.** Hasegawa T. Colby T. Yousem SA.  
11q13 allelic imbalance discriminates pulmonary carcinoids from tumorlets. A microdissection-based genotyping approach useful in clinical practice.  
American Journal of Pathology. 155(2):633-40, 1999 Aug.

140

Ino Y. Silver JS. Blazejewski L. Nishikawa R. Matsutani M. von Deimling A. Louis DN., "Common regions of deletion on chromosome 22q12.3-q13.1 and 22q13.2 in human astrocytomas appear related to malignancy grade," Journal of Neuropathology & Experimental Neurology. 58(8):881-5, 1999 Aug.

141

Fujisawa H. Kurrer M. Reis RM. Yonekawa Y. Kleihues P. Ohgaki H., "Acquisition of the glioblastoma phenotype during astrocytoma progression is associated with loss of heterozygosity on 10q25-qter," American Journal of Pathology. 155(2):387-94, 1999 Aug.

142

Bigner SH. Matthews MR. Rasheed BK. Wiltshire RN. Friedman HS. Friedman AH. Stenzel TT. Dawes DM. McLendon RE. Bigner DD., "Molecular genetic aspects of oligodendrogliomas including analysis by comparative genomic hybridization," American Journal of Pathology. 155(2):375-86, 1999 Aug.

143

Tsopanomichalou M. Kouroumalis E. Ergazaki M. Spandidos DA., "Loss of heterozygosity and microsatellite instability in human non-neoplastic hepatic lesions," Liver. 19(4):305-11, 1999 Aug.

144

Ghimenti C. Lonobile A. Campani D. Bevilacqua G. Caligo MA. Microsatellite instability and allelic losses in neuroendocrine tumors of the gastro-entero-pancreatic system. International Journal of Oncology. 15(2):361-6, 1999 Aug.

145

Hilgers W. Su GH. Groot Koerkamp B. Tang DJ. Shekher MC. Sugar AY. Yeo CJ. Hruban RH. Kern SE. Novel homozygous deletions of chromosomal band 18q22 in pancreatic adenocarcinoma identified by STS marker scanning. Genes, Chromosomes & Cancer. 25(4):370-5, 1999 Aug.

146

Powell CA. Klares S. O'Connor G. Brody JS., "Loss of heterozygosity in epithelial cells obtained by bronchial brushing: clinical utility in lung cancer," Clinical Cancer Research. 5(8):2025-34, 1999 Aug.

147

Koyama M. Nagai H. Bando K. Ito M. Moriyama Y. Emi M., "Localization of a target region of allelic loss to a 1-cM interval on chromosome 16p.13.13 in hepatocellular carcinoma," Japanese Journal of Cancer Research. 90(9):951-6, 1999 Sep.

148

Vortmeyer AO. Lubensky IA. Skarulis M. Li G. Moon YW. Park WS. Weil R. Barlow C. Spiegel AM. Marx SJ. Zhuang Z. Multiple endocrine neoplasia type 1: atypical presentation, clinical course, and genetic analysis of multiple tumors. *Modern Pathology*. 12(9):919-24, 1999 Sep.

149

Husemann K. Wolter M. Buschges R. Bostrom J. Sabel M. Reifenberger G., "Identification of two distinct deleted regions on the short arm of chromosome 1 and rare mutation of the CDKN2C gene from 1p32 in oligodendroglial tumors," *Journal of Neuropathology & Experimental Neurology*. 58(10):1041-50, 1999 Oct.

150

**Finkelstein SD.** Dhir R. Rabinovitz M. Bischeglia M. Swalsky PA. DeFlavia P. Woods J. Bakker A. Becich M. Cold-temperature plastic resin embedding of liver for DNA- and RNA-based genotyping. *Journal of Molecular Diagnostics*. 1(1):17-22, 1999 Nov.

151

Fujii T. Kawai T. Saito K. Hishima T. Hayashi Y. Imura J. Hironaka M. Hosoya Y. Koike M. Fukayama M. MEN1 gene mutations in sporadic neuroendocrine tumors of foregut derivation. *Pathology International*. 49(11):968-73, 1999 Nov.

152

Rao UN. **Finkelstein SD.** Jones MW. Comparative immunohistochemical and molecular analysis of uterine and extrauterine leiomyosarcomas. *Modern Pathology*. 12(11):1001-9, 1999 Nov.

153

Lin YW. Sheu JC. Liu LY. Chen CH. Lee HS. Huang GT. Wang JT. Lee PH. Lu FJ., "Loss of heterozygosity at chromosome 13q in hepatocellular carcinoma: identification of three independent regions," *European Journal of Cancer*. 35(12):1730-4, 1999 Nov.

154

Cheng Y. Ng HK. Zhang SF. Ding M. Pang JC. Zheng J. Poon WS., "Genetic alterations in pediatric high-grade astrocytomas," *Human Pathology*. 30(11):1284-90, 1999 Nov.

155

Hessman O. Lindberg D. Einarsson A. Lillhager P. Carling T. Grimelius L. Eriksson B. Akerstrom G. Westin G. Skogseid B. Genetic alterations on 3p, 11q13, and 18q in nonfamilial and MEN 1-associated pancreatic endocrine tumors. *Genes, Chromosomes & Cancer*. 26(3):258-64, 1999 Nov.

156

Maitra A. Tavassoli FA. Albores-Saavedra J. Behrens C. Wistuba II. Bryant D. Weinberg AG. Rogers BB. Saboorian MH. Gazdar AF., "Molecular abnormalities associated with secretory carcinomas of the breast," *Human Pathology*. 30(12):1435-40, 1999 Dec.

157

Dolan K. Garde J. Walker SJ. Sutton R. Gosney J. Field JK. LOH at the sites of the DCC, APC, and TP53 tumor suppressor genes occurs in Barrett's metaplasia and dysplasia adjacent to adenocarcinoma of the esophagus. *Human Pathology*. 30(12):1508-14, 1999 Dec.

158

Balesaria S. Brock C. Bower M. Clark J. Nicholson SK. Lewis P. de Sanctis S. Evans H. Peterson D. Mendoza N. Glaser MG. Newlands ES. Fisher RA., "Loss of chromosome 10 is an independent prognostic factor in high-grade gliomas," *British Journal of Cancer*. 81(8):1371-7, 1999 Dec.

159

Galipeau PC. Prevo LJ. Sanchez CA. Longton GM. Reid BJ. Clonal expansion and loss of heterozygosity at chromosomes 9p and 17p in premalignant esophageal (Barrett's) tissue. *Journal of the National Cancer Institute*. 91(24):2087-95, 1999 Dec 15.

160

Safatle-Ribeiro AV. Ribeiro U Jr. Sakai P. Clarke MR. Fylyk SN. Ishioka S. Gama-Rodrigues J. **Finkelstein SD**. Reynolds JC. Integrated p53 histopathologic/genetic analysis of premalignant lesions of the esophagus. *Cancer Detection & Prevention*. 24(1):13-23, 2000.

161

Yeh KT. Chang JG. Chen YJ. Chen ST. Yu SY. Shih MC. Perng LI. Wang JC. Tsai M. Chang CP., "Mutation analysis of the putative tumor suppressor gene PTEN/MMAC1 in hepatocellular carcinoma," *Cancer Investigation*. 18(2):123-9, 2000.

162

Feo F. Pascale RM. Simile MM. De Miglio MR. Muroli MR. Calvisi D., "Genetic alterations in liver carcinogenesis: implications for new preventive and therapeutic strategies," *Critical Reviews in Oncogenesis*. 11(1):19-62, 2000.

163

Newsham IF. Gorse KM. Rempel SA. Luckey J. Golden JB. Bogler O., "Use of horizontal ultrathin gel electrophoresis to analyze allelic deletions in chromosome band 11p15.5 in gliomas," *Neuro-Oncology*. 2(1):1-5, 2000 Jan.

164

Kanai Y. Ushijima S. Tsuda H. Sakamoto M. Hirohashi S., "Aberrant DNA methylation precedes loss of heterozygosity on chromosome 16 in chronic hepatitis and liver cirrhosis," *Cancer Letters*. 148(1):73-80, 2000 Jan 1.

165

DaCosta SA. Schumaker LM. Ellis MJ., "Mannose 6-phosphate/insulin-like growth factor 2 receptor, a bona fide tumor suppressor gene or just a promising candidate?," *Journal of Mammary Gland Biology & Neoplasia*. 5(1):85-94, 2000 Jan.

166

van den Berg W. Tascilar M. Offerhaus GJ. Albores-Saavedra J. Wenig BM. Hruban RH. Gabrielson E. Pancreatic mucinous cystic neoplasms with sarcomatous stroma: molecular evidence for monoclonal origin with subsequent divergence of the epithelial and sarcomatous components. *Modern Pathology*. 13(1):86-91, 2000 Jan.

167

Tarafa G. Villanueva A. Farre L. Rodriguez J. Musulen E. Reyes G. Seminago R. Olmedo E. Paules AB. Peinado MA. Bachs O. Capella G. DCC and SMAD4 alterations in human colorectal and pancreatic tumor dissemination. *Oncogene*. 19(4):546-55, 2000 Jan 27.

168

Shuangshoti S. Navalitloha Y. Kasantikul V. Shuangshoti S. Mutirangura A., "Genetic heterogeneity and progression in different areas within high-grade diffuse astrocytoma," *Oncology Reports*. 7(1):113-7, 2000 Jan-Feb.

169

Oskam NT. Bijleveld EH. Hulsebos TJ., "A region of common deletion in 22q13.3 in human glioma associated with astrocytoma progression," *International Journal of Cancer*. 85(3):336-9, 2000 Feb 1.

170

Gramantieri L. Trete D. Pession A. Piscaglia F. Masi L. Gaiani S. Mazziotti A. Bolondi L., "Allelic imbalance on 16q in small, unifocal hepatocellular carcinoma: correlation with HBV and HCV infections and cellular proliferation rate," *Digestive Diseases & Sciences*. 45(2):306-11, 2000 Feb.

171

Kitamura Y. Shimizu K. Tanaka S. Ito K. Emi M., "Allelotyping of anaplastic thyroid carcinoma: frequent allelic losses on 1q, 9p, 11, 17, 19p, and 22q," *Genes, Chromosomes & Cancer*. 27(3):244-51, 2000 Mar.

172

Fujiwara Y. Hoon DS. Yamada T. Umeshita K. Gotoh M. Sakon M. Nishisho I. Monden M., "PTEN / MMAC1 mutation and frequent loss of heterozygosity identified in chromosome 10q in a subset of hepatocellular carcinomas," *Japanese Journal of Cancer Research*. 91(3):287-92, 2000 Mar.

173

Hilgers W. Koerkamp BG. Geradts J. Tang DJ. Yeo CJ. Hruban RH. Kern SE. Genomic FHT analysis in RER+ and RER- adenocarcinomas of the pancreas. *Genes, Chromosomes & Cancer*. 27(3):239-43, 2000 Mar.

174

Kim H. Lee MJ. Kim MR. Chung IP. Kim YM. Lee JY. Jang JJ., "Expression of cyclin D1, cyclin E, cdk4 and loss of heterozygosity of 8p, 13q, 17p in hepatocellular carcinoma: comparison study of childhood and adult hepatocellular carcinoma," *Liver*. 20(2):173-8, 2000 Apr.

175

Jones MW. Kounelis S. Papadaki H. Bakker A. Swalsky PA. Woods J. **Finkelstein SD.** Well-differentiated villoglandular adenocarcinoma of the uterine cervix: oncogene/tumor suppressor gene alterations and human papillomavirus genotyping. *International Journal of Gynecological Pathology*. 19(2):110-7, 2000 Apr.

176

Fults D. Pedone C., "Immunocytochemical mapping of the phosphatase and tensin homolog (PTEN/MMAC1) tumor suppressor protein in human gliomas," *Neuro-Oncology*. 2(2):71-9, 2000 Apr.

177

Hilgers W. Song JJ. Haye M. Hruban RR. Kern SE. Fearon ER. Homozygous deletions inactivate DCC, but not MADH4/DPC4/SMAD4, in a subset of pancreatic and biliary cancers. *Genes, Chromosomes & Cancer*. 27(4):353-7, 2000 Apr.

178

Roncalli M. Bianchi P. Grimaldi GC. Ricci D. Laghi L. Maggioni M. Opocher E. Borzio M. Coggi G., "Fractional allelic loss in non-end-stage cirrhosis: correlations with hepatocellular carcinoma development during follow-up," *Hepatology*. 31(4):846-50, 2000 Apr.

179

Kitamura Y. Shimizu K. Tanaka S. Ito K. Emi M., "Association of allelic loss on 1q, 4p, 7q, 9p, 9q, and 16q with postoperative death in papillary thyroid carcinoma," *Clinical Cancer Research*. 6(5):1819-25, 2000 May.

180

Chung MY. Wu JC. Chau GY. Lui WY. Tsay SH. Chiang H., "Preferentially deleted chromosome region 9p21 in large hepatocellular carcinomas," *International Journal of Molecular Medicine*. 5(5):521-4, 2000 May.

181

Teeguarden JG. Newton MA. Dragan YP. Pitot HC., "Genome-wide loss of heterozygosity analysis of chemically induced rat hepatocellular carcinomas reveals elevated frequency of allelic imbalances on chromosomes 1, 6, 8, 11, 15, 17, and 20," *Molecular Carcinogenesis*. 28(1):51-61, 2000 May.

182

Bando K. Nagai H. Matsumoto S. Koyama M. Kawamura N. Tajiri T. Onda M. Emi M., "Identification of a 1-Mb common region at 16q24.1-24.2 deleted in hepatocellular carcinoma," *Genes, Chromosomes & Cancer*. 28(1):38-44, 2000 May.

183

Okabe H. Ikai I. Matsuo K. Satoh S. Momoi H. Kamikawa T. Katsura N. Nishitai R. Takeyama O. Fukumoto M. Yamaoka Y., "Comprehensive allelotype study of hepatocellular carcinoma: potential differences in pathways to hepatocellular carcinoma between hepatitis B virus-positive and -negative tumors," *Hepatology*. 31(5):1073-9, 2000 May.

184

Goggins M. Hruban RH. Kern SE. BRCA2 is inactivated late in the development of pancreatic intraepithelial neoplasia: evidence and implications. *Source: American Journal of Pathology*. 156(5):1767-71, 2000 May.

185

Sato T. Konishi K. Kimura H. Maeda K. Yabushita K. Tsuji M. Miwa A. Evaluation of PCNA, p53, K-ras and LOH in endocrine pancreas tumors. *Hepato-Gastroenterology*. 47(33):875-9, 2000 May-Jun.

186

Kang YK. Kim YI. Kim WH., "Allelotype analysis of intrahepatic cholangiocarcinoma," *Modern Pathology*. 13(6):627-31, 2000 Jun.

187

Kawai H. Suda T. Aoyagi Y. Isokawa O. Mita Y. Waguri N. Kuroiwa T. Igarashi M. Tsukada K. Mori S. Shimizu T. Suzuki Y. Abe Y. Takahashi T. Nomoto M. Asakura H., "Quantitative evaluation of genomic instability as a possible predictor for development of hepatocellular carcinoma: comparison of loss of heterozygosity and replication error," *Hepatology*. 31(6):1246-50, 2000 Jun.

188

Yamano M. Fujii H. Takagaki T. Kadowaki N. Watanabe H. Shirai T. Genetic progression and divergence in pancreatic carcinoma. *American Journal of Pathology*. 156(6):2123-33, 2000 Jun.

189

Hruban RH. Wilentz RE. Kern SE. Genetic progression in the pancreatic ducts. [Review] [39 refs] *American Journal of Pathology*. 156(6):1821-5, 2000 Jun.

190

Lori N. Morosetti R. Hoflehner E. Lubbert M. Mizoguchi H. Koefler HP., "Allelic loss in the progression of myelodysplastic syndrome," *Cancer Research*. 60(11):3039-42, 2000 Jun 1.

191

Jin W. Xu X. Yang T. Hua Z., "p53 mutation, EGFR gene amplification and loss of heterozygosity on chromosome 10, 17 p in human gliomas," *Chinese Medical Journal*. 113(7):662-6, 2000 Jul.

192

Fang W. Piao Z. Simon D. Sheu JC. Huang S., "Mapping of a minimal deleted region in human hepatocellular carcinoma to 1p36.13-p36.23 and mutational analysis of the RIZ (PRDM2) gene localized to the region," *Genes, Chromosomes & Cancer*. 28(3):269-75, 2000 Jul.

193

Heinmoller E. Dietmaier W. Zirngibl H. Heinmoller P. Scaringe W. Jauch KW. Hofstadter F. Ruschoff J. Molecular analysis of microdissected tumors and preneoplastic intraductal lesions in pancreatic carcinoma. *American Journal of Pathology*. 157(1):83-92, 2000 Jul.

194

Yeh KT. Wang NM. Lee HH. Chang JG., "Mutation analysis of the Bcl 10 gene in hepatocellular carcinoma," *Kaohsiung Journal of Medical Sciences*. 16(7):332-8, 2000 Jul.

195

Sakai Y. Yanagisawa A. Shimada M. Hidaka E. Seki M. Tada Y. Harada T. Saisho H. Kato Y. K-ras gene mutations and loss of heterozygosity at the p53 gene locus relative to histological characteristics of mucin-producing tumors of the pancreas. *Human Pathology*. 31(7):795-803, 2000 Jul.

196

Walch A. Mueller J. Hofler H. Werner M. Re: clonal expansion and loss of heterozygosity at chromosomes 9p and 17p in premalignant esophageal (Barrett's) tissue. *Journal of the National Cancer Institute*. 92(14):1182-3, 2000 Jul 19.

197

Wistuba II. Tomlinson GE. Behrens C. Virmani A. Geradts J. Blum JL. Minna JD. Gazdar AF, "Two identical triplet sisters carrying a germline BRCA1 gene mutation acquire very similar breast cancer somatic mutations at multiple other sites throughout the genome," *Genes, Chromosomes & Cancer*. 28(4):359-69, 2000 Aug.

198

Yatsuoka T. Sunamura M. Furukawa T. Fukushima S. Yokoyama T. Inoue H. Shibuya K. Takeda K. Matsuno S. Horii A. Association of poor prognosis with loss of 12q, 17p, and 18q, and concordant loss of 6q/17p and 12q/18q in human pancreatic ductal adenocarcinoma. *American Journal of Gastroenterology*. 95(8):2080-5, 2000 Aug.

199

Woolley PV. Gollin SM. Riskalla W. **Finkelstein SD**. Stefanik DF. Riskalla L. Swaney WP. Weisenthal L. McKenna RJ Jr. Cytogenetics, immunostaining for fibroblast growth factors, p53 sequencing, and clinical features of two cases of cystosarcoma phyllodes. *Molecular Diagnosis*. 5(3):179-90, 2000 Sep.

200

Fujii H. Zhu XG. Matsumoto T. Inagaki M. Tokusashi Y. Miyokawa N. Fukusato T. Uekusa T. Takagaki T. Kadowaki N. Shirai T., "Genetic classification of combined hepatocellular-cholangiocarcinoma," *Human Pathology*. 31(9):1011-7, 2000 Sep.

201

Shao J. Li Y. Li H. Wu Q. Hou J. Liew C., "Deletion of chromosomes 9p and 17 associated with abnormal expression of p53, p16/MTS1 and p15/MTS2 gene protein in hepatocellular carcinomas," *Chinese Medical Journal*. 113(9):817-22, 2000 Sep.

202

Alvino E. Fernandez E. Pallini R., "Microsatellite instability in primary brain tumors," *Neurological Research*. 22(6):571-5, 2000 Sep.

203

Iwadate Y. Mochizuki S. Fujimoto S. Namba H. Sakiyama S. Tagawa M. Yamaura A., "Alteration of CDKN2/p16 in human astrocytic tumors is related with increased susceptibility to antimetabolite anticancer agents," *International Journal of Oncology*. 17(3):501-5, 2000 Sep.

204

Smith JS. Tachibana I. Lee HK. Qian J. Pohl U. Mohrenweiser HW. Borell TJ. Hosek SM. Soderberg CL. von Deimling A. Perry A. Scheithauer BW. Louis DN. Jenkins RB., "Mapping of the chromosome 19 q-arm glioma tumor suppressor gene using fluorescence in situ hybridization and novel microsatellite markers," *Genes, Chromosomes & Cancer*. 29(1):16-25, 2000 Sep.

205

Girard L. Zochbauer-Muller S. Virmani AK. Gazdar AF. Minna JD., "Genome-wide allelotyping of lung cancer identifies new regions of allelic loss, differences between small cell lung cancer and non-small cell lung cancer, and loci clustering," *Cancer Research*. 60(17):4894-906, 2000 Sep 1.

206

Han HS. Kim HS. Woo DK. Kim WH. Kim YI., "Loss of heterozygosity in gastric neuroendocrine tumor," *Anticancer Research*. 20(5A):2849-54, 2000 Sep-Oct.

207

Dunn JR. Garde J. Dolan K. Gosney JR. Oates BC. Watson AJ. Fielding P. Field JK. The evolution of loss of heterozygosity on chromosome 17 during the progression to barrett's adenocarcinoma involves a unique combination of target sites in individual specimens. *Clinical Cancer Research*. 6(10):4033-42, 2000 Oct.

208

Liao C. Zhao M. Song H. Uchida K. Yokoyama KK. Li T., "Identification of the gene for a novel liver-related putative tumor suppressor at a high-frequency loss of heterozygosity region of chromosome 8p23 in human hepatocellular carcinoma," *Hepatology*. 32(4 Pt 1):721-7, 2000 Oct.

209

Perren A. Komminoth P. Saremaslani P. Matter C. Feurer S. Lees JA. Heitz PU. Eng C. Mutation and expression analyses reveal differential subcellular compartmentalization of PTEN in endocrine pancreatic tumors compared to normal islet cells. *American Journal of Pathology*. 157(4):1097-103, 2000 Oct.

210

Barbera VM. Martin M. Marinoso L. Munne A. Carrato A. Real FX. Fabre M. The 18q21 region in colorectal and pancreatic cancer: independent loss of DCC and DPC4 expression. *Biochimica et Biophysica Acta*. 1502(2):283-96, 2000 Oct 18.

211

Kato H. Kato S. Kumabe T. Sonoda Y. Yoshimoto T. Kato S. Han SY. Suzuki T. Shibata H. Kanamaru R. Ishioka C., "Functional evaluation of p53 and PTEN gene mutations in gliomas," *Clinical Cancer Research*. 6(10):3937-43, 2000 Oct.

212

Bergman L. Boothroyd C. Palmer J. Grimmond S. Walters M. Teh B. Shepherd J. Hartley L. Hayward N. Identification of somatic mutations of the MEN1 gene in sporadic endocrine tumours. *British Journal of Cancer*. 83(8):1003-8, 2000 Oct.

213

Liao C. Zhao M. Song H. Uchida K. Yokoyama KK. Li T., "Identification of the gene for a novel liver-related putative tumor suppressor at a high-frequency loss of heterozygosity region of chromosome 8p23 in human hepatocellular carcinoma," *Hepatology*. 32(4 Pt 1):721-7, 2000 Oct.

214

Cheng Y. Pang JC. Ng HK. Ding M. Zhang SF. Zheng J. Liu DG. Poon WS., "Pilocytic astrocytomas do not show most of the genetic changes commonly seen in diffuse astrocytomas," *Histopathology*. 37(5):437-44, 2000 Nov.

215

Kondo Y. Kanai Y. Sakamoto M. Mizokami M. Ueda R. Hirohashi S., "Genetic instability and aberrant DNA methylation in chronic hepatitis and cirrhosis--A comprehensive study of loss of heterozygosity and microsatellite instability at 39 loci and DNA hypermethylation on 8 CpG islands in microdissected specimens from patients with hepatocellular carcinoma," *Hepatology*. 32(5):970-9, 2000 Nov.

216

Maggioni M. Coggi G. Cassani B. Bianchi P. Romagnoli S. Mandelli A. Borzio M. Colombo P. Roncalli M., "Molecular changes in hepatocellular dysplastic nodules on microdissected liver biopsies," *Hepatology*. 32(5):942-6, 2000 Nov.

217

Mohr VH. Vortmeyer AO. Zhuang Z. Libutti SK. Walther MM. Choyke PL. Zbar B. Linehan WM. Lubensky IA. Histopathology and molecular genetics of multiple cysts and microcystic (serous) adenomas of the pancreas in von Hippel-Lindau patients. *American Journal of Pathology*. 157(5):1615-21, 2000 Nov.

218

Lee TJ. Bae JJ. Lee JS. Lee SY. Kim HJ. Kim SK. Lee JY. Lee TY., "Abrogation of the p16-Rb pathway in Korean hepatocellular carcinomas," *Hepato-Gastroenterology*. 47(36):1663-8, 2000 Nov-Dec.

219

Handel-Fernandez ME. Nassiri M. Arana M. Perez MM. Fresno M. Nadji M. Vincek V. Mapping of genetic deletions on the long arm of chromosome 22 in human pancreatic adenocarcinomas. *Anticancer Research*. 20(6B):4451-6, 2000 Nov-Dec.

220

Grundeit T. Vogelsang H. Ott K. Mueller J. Scholz M. Becker K. Fink U. Siewert JR. Hofler H. Keller G., "Loss of heterozygosity and microsatellite instability as predictive markers for neoadjuvant treatment in gastric carcinoma," *Clinical Cancer Research*. 6(12):4782-8, 2000 Dec.

221

Bektas N. Donner A. Wirtz C. Heep H. Gabbert HE. Sarbia M. Allelic loss involving the tumor suppressor genes APC and MCC and expression of the APC protein in the development of dysplasia and carcinoma in Barrett esophagus. *American Journal of Clinical Pathology*. 114(6):890-5, 2000 Dec.

222

Wang G. Huang CH. Zhao Y. Cai L. Wang Y. Xiu SJ. Jiang ZW. Yang S. Zhao T. Huang W. Gu JR., "Genetic aberration in primary hepatocellular carcinoma: correlation between p53 gene mutation and loss-of-heterozygosity on chromosome 16q21-q23 and 9p21-p23," *Cell Research*. 10(4):311-23, 2000 Dec.

223

Rigaud G. Moore PS. Zamboni G. Orlandini S. Taruscio D. Paradisi S. Lemoine NR. Kloppel G. Scarpa A., "Allelotype of pancreatic acinar cell carcinoma," *International Journal of Cancer*. 88(5):772-7, 2000 Dec 1.

224

Cong WM, Bakker A, Swalsky PA, Raja S, Woods J, Thomas S, Demetris AJ, **Finkelstein SD**. Multiple genetic alterations involved in the tumorigenesis of human cholangiocarcinoma: a molecular genetic and clinicopathological study. *Journal of Cancer Research & Clinical Oncology*. 127(3):187-92, 2001.

225

Gatalica Z, **Finkelstein SD**, Lucio E, Tawfik O, Palazzo J, Hightower B, Eyzaguirre E. p53 protein expression and gene mutation in phyllodes tumors of the breast. *Pathology, Research & Practice*. 197(3):183-7, 2001.

226

**Finkelstein SD** High hopes, hard work await gene tests. *CAP Today* 15(1), 2001

227

Youssef EM, Kaneko K, Yatsuoka T, Hayashi Y, Hoshi M, Horii A, Furukawa T. Human BAC contig covering the deleted region in pancreatic cancer at 12q21. *DNA Sequence*. 11(6):541-6, 2001.

228

Cong WM, Bakker A, Swalsky PA, Raja S, Woods J, Thomas S, Demetris AJ, **Finkelstein SD**, "Multiple genetic alterations involved in the tumorigenesis of human cholangiocarcinoma: a molecular genetic and clinicopathological study," *Journal of Cancer Research & Clinical Oncology*. 127(3):187-92, 2001.

229

Goumenou AG, Arvanitis DA, Matalliotakis IM, Koumantakis EE, Spandidos DA., "Microsatellite DNA assays reveal an allelic imbalance in p16(Ink4), GALT, p53, and APOA2 loci in patients with endometriosis," *Fertility & Sterility*. 75(1):160-5, 2001 Jan.

230

Moore PS, Orlandini S, Zamboni G, Capelli P, Rigaud G, Falconi M, Bassi C, Lemoine NR, Scarpa A. Pancreatic tumours: molecular pathways implicated in ductal cancer are involved in ampullary but not in exocrine nonductal or endocrine tumorigenesis. *British Journal of Cancer*. 84(2):253-62, 2001 Jan.

231

Rigaud G, Missiaglia E, Moore PS, Zamboni G, Falconi M, Talamini G, Pesci A, Baron A, Rigaud G, Missiaglia E, Moore PS, Zamboni G, Falconi M, Talamini G, Pesci A, Baron A, Lissandrini D, Rindi G, Grigolato P, Pederzoli P, Scarpa A., "High resolution allelotype of nonfunctional pancreatic endocrine tumors: identification of two molecular subgroups with clinical implications," *Cancer Research*. 61(1):285-92, 2001 Jan 1.

232

Moore PS, Zamboni G, Brighenti A, Lissandrini D, Antonello D, Capelli P, Rigaud G, Falconi M, Scarpa A., "Molecular characterization of pancreatic serous microcystic adenomas: evidence for a tumor suppressor gene on chromosome 10q," *American Journal of Pathology*. 158(1):317-21, 2001 Jan.

233

Sanchez-Cespedes M. Ahrendt SA. Piantadosi S. Rosell R. Monzo M. Wu L. Westra WH. Yang SC. Jen J. Sidransky D., "Chromosomal alterations in lung adenocarcinoma from smokers and nonsmokers," *Cancer Research*. 61(4):1309-13, 2001 Feb 15.

234

Ryu B. Song J. Sohn T. Hruban RH. Kern SE. Frequent germline deletion polymorphism of chromosomal region 8p12-p21 identified as a recurrent homozygous deletion in human tumors. *Genomics*. 72(1):108-12, 2001 Feb 15.

235

Romagnoli S. Roncalli M. Graziani D. Cassani B. Roz E. Bonavina L. Peracchia A. Bosari S. Coggi G. Molecular alterations of Barrett's esophagus on microdissected endoscopic biopsies. *Laboratory Investigation*. 81(2):241-7, 2001 Feb.

236

Hessman O. Skogseid B. Westin G. Akerstrom G., "Multiple allelic deletions and intratumoral genetic heterogeneity in men1 pancreatic tumors," *Journal of Clinical Endocrinology & Metabolism*. 86(3):1355-61, 2001 Mar.

237

Balsara BR. Pei J. De Rienzo A. Simon D. Tosolini A. Lu YY. Shen FM. Fan X. Lin WY. Buetow KH. London WT. Testa JR., "Human hepatocellular carcinoma is characterized by a highly consistent pattern of genomic imbalances, including frequent loss of 16q23.1-24.1," *Genes, Chromosomes & Cancer*. 30(3):245-53, 2001 Mar.

238

Hessman O. Skogseid B. Westin G. Akerstrom G. Multiple allelic deletions and intratumoral genetic heterogeneity in men1 pancreatic tumors. *Journal of Clinical Endocrinology & Metabolism*. 86(3):1355-61, 2001 Mar.

239

Matsumura T. Makino R. Mitamura K., "Frequent down-regulation of E-cadherin by genetic and epigenetic changes in the malignant progression of hepatocellular carcinomas," *Clinical Cancer Research*. 7(3):594-9, 2001 Mar.

240

Kulke MH. Odze RD. Thakore KS. Thomas G. Wang H. Loda M. Eng C. Allelic loss of 10q23, the PTEN tumour suppressor gene locus, in Barrett's oesophagus-associated adenocarcinoma. *British Journal of Cancer*. 84(6):748-53, 2001 Mar 23.

241

Nobukawa B. Abraham SC. Gill J. Heitmiller RF. Wu TT. Clinicopathologic and molecular analysis of high-grade dysplasia and early adenocarcinoma in short- versus long-segment Barrett esophagus. *Human Pathology*. 32(4):447-54, 2001 Apr.

242

Walker C. Joyce KA. Thompson-Hehir J. Davies MP. Gibbs FE. Halliwell N. Lloyd BH. Machell Y. Roebuck MM. Salisbury J. Sibson DR. Du Plessis D. Broome J. Rossi ML., "Characterisation of molecular alterations in microdissected archival gliomas," *Acta Neuropathologica*. 101(4):321-33, 2001 Apr.

243

Kulke MH. Thakore KS. Thomas G. Wang H. Loda M. Eng C. Odze RD. Microsatellite instability and hMLH1/hMSH2 expression in Barrett esophagus-associated adenocarcinoma. *Cancer*. 91(8):1451-7, 2001 Apr 15.

244

Portwine C. Chilton-MacNeill S. Brown C. Sexsmith E. McLaughlin J. Malkin D., "Absence of germline and somatic p53 alterations in children with sporadic brain tumors," *Journal of Neuro-Oncology*. 52(3):227-35, 2001 May.

245

Luttges J. Galehdari H. Brocker V. Schwarte-Waldhoff I. Henne-Bruns D. Kloppel G. Schmiegel W. Hahn SA. Allelic loss is often the first hit in the biallelic inactivation of the p53 and DPC4 genes during pancreatic carcinogenesis.[see comment]. *American Journal of Pathology*. 158(5):1677-83, 2001 May.

246

Wilentz RE. Argani P. Hruban RH. Loss of heterozygosity or intragenic mutation, which comes first?[comment]. *American Journal of Pathology*. 158(5):1561-3, 2001 May.

247

Randhawa P. Baksh F. Aoki N. Tschirhart D. **Finkelstein SD**. JC virus infection in allograft kidneys: analysis by polymerase chain reaction and immunohistochemistry. *Transplantation*. 71(9):1300-3, 2001 May 15.

248

Cong W. **Finkelstein SD**. Wu M. [Relationship between genetic alterations and clinicopathological features in intrahepatic cholangiocarcinoma]. [Chinese] *Chung-Hua Ping Li Hsueh Tsa Chih - Chinese Journal of Pathology*. 30(3):183-7, 2001 Jun.

249

Li SP. Wang HY. Li JQ. Zhang CQ. Feng QS. Huang P. Yu XJ. Huang LX. Liang QW. Zeng YX. "Genome-wide analyses on loss of heterozygosity in hepatocellular carcinoma in Southern China," *Journal of Hepatology*. 34(6):840-9, 2001 Jun.

250

Wang C. Lu X. Liu G. Dai L. Xu T. Chen Y. Gao C. Wen X. Qian J. Detailed deletion mapping on chromosome region 9p21 in human periampullary neoplasms. *Chinese Medical Journal*. 114(6):588-91, 2001 Jun.

251

Barghorn A. Speel EJ. Farspour B. Saremaslani P. Schmid S. Perren A. Roth J. Heitz PU. Komminoth P. Putative tumor suppressor loci at 6q22 and 6q23-q24 are involved in the malignant progression of sporadic endocrine pancreatic tumors. *American Journal of Pathology*. 158(6):1903-11, 2001 Jun.

252

Sun M. Eshleman JR. Ferrell LD. Jacobs G. Sudilovsky EC. Tuthill R. Hussein MR. Sudilovsky O., "An early lesion in hepatic carcinogenesis: loss of heterozygosity in human cirrhotic livers and dysplastic nodules at the 1p36-p34 region," *Hepatology*. 33(6):1415-24, 2001 Jun.

253

Laurent-Puig P. Legoix P. Bluteau O. Belghiti J. Franco D. Binot F. Monges G. Thomas G. Bioulac-Sage P. Zucman-Rossi J., "Genetic alterations associated with hepatocellular carcinomas define distinct pathways of hepatocarcinogenesis," *Gastroenterology*. 120(7):1763-73, 2001 Jun.

254

Inoue H. Furukawa T. Sunamura M. Takeda K. Matsuno S. Horii A. Exclusion of SMAD4 mutation as an early genetic change in human pancreatic ductal tumorigenesis. *Genes, Chromosomes & Cancer*. 31(3):295-9, 2001 Jul.

255

Shao JY. Huang XM. Yu XJ. Huang LX. Wu QL. Xia JC. Wang HY. Feng QS. Ren ZF. Ernberg I. Hu LF. Zeng YX., "Loss of heterozygosity and its correlation with clinical outcome and Epstein-Barr virus infection in nasopharyngeal carcinoma," *Anticancer Research*. 21(4B):3021-9, 2001 Jul-Aug.

56

Baksh FK. **Finkelstein SD**. Swalsky PA. Stoner GL. Ryschkewitsch CF. Randhawa P. Molecular genotyping of BK and JC viruses in human polyomavirus-associated interstitial nephritis after renal transplantation. *American Journal of Kidney Diseases [Online]*. 38(2):354-65, 2001 Aug.

257

Dong SM. Pang JC. Poon WS. Hu J. To KF. Chang AR. Ng HK., "Concurrent hypermethylation of multiple genes is associated with grade of oligodendroglial tumors," *Journal of Neuropathology & Experimental Neurology*. 60(8):808-16, 2001 Aug.

258

Barghorn A. Komminoth P. Bachmann D. Rutimann K. Saremaslani P. Muletta-Feurer S. Perren A. Roth J. Heitz PU. Speel EJ. Deletion at 3p25.3-p23 is frequently encountered in endocrine pancreatic tumours and is associated with metastatic progression. *Journal of Pathology*. 194(4):451-8, 2001 Aug.

259

Kitamura Y. Shimizu K. Ito K. Tanaka S. Emi M., "Allelotyping of follicular thyroid carcinoma: frequent allelic losses in chromosome arms 7q, 11p, and 22q," *Journal of Clinical Endocrinology & Metabolism*. 86(9):4268-72, 2001 Sep.

260

De Souza Nascimento P. Maciel CM. Kawamura MT. Oliveira JA. Teixeira A. Carvalho Mda G. Alves G., "Molecular analysis of CDKN2 (p16) in gliomas associated with clinical data," *Oncology Reports*. 8(5):1039-43, 2001 Sep-Oct.

261

Alonso ME. Bello MJ. Lomas J. Gonzalez-Gomez P. Arjona D. De Campos JM. Gutierrez M. Isla A. Vaquero J. Rey JA., "Absence of mutation of the p73 gene in astrocytic neoplasms," *International Journal of Oncology*. 19(3):609-12, 2001 Sep.

262

Andreyev HJ. Norman AR. Cunningham D. Oates J. Dix BR. Iacopetta BJ. Young J. Walsh T. Ward R. Hawkins N. Beranek M. Jandik P. Benamouzig R. Jullian E. Laurent-Puig P. Olschwang S. Muller O. Hoffmann I. Rabes HM. Zietz C. Troungos C. Valavanis C. Yuen ST. Ho JW. Croke CT. O'Donoghue DP. Giaretti W. Rapallo A. Russo A. Bazan V. Tanaka M. Omura K. Azuma T. Ohkusa T. Fujimori T. Ono Y. Pauly M. Faber C. Glaesener R. de Goeij AF. Arends JW. Andersen SN. Lovig T. Breivik J. Gaudernack G. Clausen OP. De Angelis PD. Meling GI. Rognum TO. Smith R. Goh HS. Font A. Rosell R. Sun XF. Zhang H. Benhattar J. Losi L. Lee JQ. Wang ST. Clarke PA. Bell S. Quirke P. Bubb VJ. Piris J. Cruickshank NR. Morton D. Fox JC. Al-Mulla F. Lees N. Hall CN. Snary D. Wilkinson K. Dillon D. Costa J. Pricolo VE. **Finkelstein SD**. Thebo JS. Senagore AJ. Halter SA. Wadler S. Malik S. Krtolica K. Urosevic N. Kirsten ras mutations in patients with colorectal cancer: the 'RASCAL II' study. *British Journal of Cancer*. 85(5):692-6, 2001 Sep 1.

263

Raja S. **Finkelstein SD**. Baksh FK. Gooding WE. Swalsky PA. Godfrey TE. Buenaventura PO. Luketich JD. Correlation between dysplasia and mutations of six tumor suppressor genes in Barrett's esophagus. *Annals of Thoracic Surgery*. 72(4):1130-5, 2001 Oct.

264

Yousem SA. **Finkelstein SD**. Swalsky PA. Bakker A. Ohori NP. Absence of jaagsiekte sheep retrovirus DNA and RNA in bronchioloalveolar and conventional human pulmonary adenocarcinoma by PCR and RT-PCR analysis. [see comments.]. *Human Pathology*. 32(10):1039-42, 2001 Oct.

265

Reid BJ. Prevo LJ. Galipeau PC. Sanchez CA. Longton G. Levine DS. Blount PL. Rabinovitch PS. Predictors of progression in Barrett's esophagus II: baseline 17p (p53) loss of heterozygosity identifies a patient subset at increased risk for neoplastic progression. *American Journal of Gastroenterology*. 96(10):2839-48, 2001 Oct.

266

Raja S. **Finkelstein SD**. Baksh FK. Gooding WE. Swalsky PA. Godfrey TE. Buenaventura PO. Luketich JD. Correlation between dysplasia and mutations of six tumor suppressor genes in Barrett's esophagus. *Annals of Thoracic Surgery*. 72(4):1130-5, 2001 Oct.

267

Fan CY. Liu KL. Huang HY. Barnes EL. Swalsky PA. Bakker A. Woods J. **Finkelstein SD**. Frequent allelic imbalance and loss of protein expression of the DNA repair gene hOGG1 in head and neck squamous cell carcinoma. *Laboratory Investigation*. 81(10):1429-38, 2001 Oct.

268

Tada K. Shiraishi S. Kamiryo T. Nakamura H. Hirano H. Kuratsu J. Kochi M. Saya H. Ushio Y., "Analysis of loss of heterozygosity on chromosome 10 in patients with malignant astrocytic tumors: correlation with patient age and survival," *Journal of Neurosurgery*. 95(4):651-9, 2001 Oct.

269

Pollack IF. **Finkelstein SD**. Burnham J. Holmes EJ. Hamilton RL. Yates AJ. Finlay JL. Sposto R. Children's Cancer Group. Age and TP53 mutation frequency in childhood malignant gliomas: results in a multi-institutional cohort. *Cancer Research*. 61(20):7404-7, 2001 Oct 15.

270

Lin F. Yu YP. Woods J. Cieply K. Gooding B. Finkelstein P. Dhir R. Krill D. Becich MJ. Michalopoulos G. **Finkelstein SD.** Luo JH. Myopodin, a synaptopodin homologue, is frequently deleted in invasive prostate cancers. *American Journal of Pathology*. 159(5):1603-12, 2001 Nov.

271

Buerger H. Schmidt H. Beckmann A. Zanker KS. Boecker W. Brandt B., "Genetic characterisation of invasive breast cancer: a comparison of CGH and PCR based multiplex microsatellite analysis," *Journal of Clinical Pathology*. 54(11):836-40, 2001 Nov.

272

Jiang WW. Fujii H. Shirai T. Mega H. Takagi M., "Accumulative increase of loss of heterozygosity from leukoplakia to foci of early cancerization in leukoplakia of the oral cavity," *Cancer*. 92(9):2349-56, 2001 Nov 1.

273

Anderson GR. Brenner BM. Swede H. Chen N. Henry WM. Conroy JM. Karpenko MJ. Issa JP. Bartos JD. Brunelle JK. Jahreis GP. Kahlenberg MS. Basik M. Sait S. Rodriguez-Bigas MA. Nowak NJ. Petrelli NJ. Shows TB. Stoler DL., "Intrachromosomal genomic instability in human sporadic colorectal cancer measured by genome-wide allelotyping and inter-(simple sequence repeat) PCR," *Cancer Research*. 61(22):8274-83, 2001 Nov 15.

274

Wong DJ. Paulson TG. Prevo LJ. Galipeau PC. Longton G. Blount PL. Reid BJ. p16(INK4a) lesions are common, early abnormalities that undergo clonal expansion in Barrett's metaplastic epithelium. *Cancer Research*. 61(22):8284-9, 2001 Nov 15.

275

Maurice D. Pierreux CE. Howell M. Wilentz RE. Owen MJ. Hill CS. Loss of Smad4 function in pancreatic tumors: C-terminal truncation leads to decreased stability. *Journal of Biological Chemistry*. 276(46):43175-81, 2001 Nov 16.

276

Godfrey TE. Raja S. **Finkelstein SD.** Gooding WE. Kelly LA. Luketich JD. Prognostic value of quantitative reverse transcription-polymerase chain reaction in lymph node-negative esophageal cancer patients. *Clinical Cancer Research*. 7(12):4041-8, 2001 Dec.

277

Sato N. Rosty C. Jansen M. Fukushima N. Ueki T. Yeo CJ. Cameron JL. Iacobuzio-Donahue CA. Hruban RH. Goggins M. STK11/LKB1 Peutz-Jeghers gene inactivation in intraductal papillary-mucinous neoplasms of the pancreas. *American Journal of Pathology*. 159(6):2017-22, 2001 Dec.

278

Pan H. Liao SJ. Lai WY. Lu HC. Hsiao KM., "Overexpression but lack of mutation and methylation of p73 in hepatocellular carcinoma," *Acta Oncologica*. 41(6):550-5, 2002.

279

Nishida N. Fukuda Y. Komeda T. Ito T. Nishimura T. Minata M. Kuno M. Katsuma H. Ikai I. Yamaoka Y. Nakao K., "Prognostic impact of multiple allelic losses on metastatic recurrence in hepatocellular carcinoma after curative resection," *Oncology*. 62(2):141-8, 2002.

280

Wada K. p16 and p53 gene alterations and accumulations in the malignant evolution of intraductal papillary-mucinous tumors of the pancreas. *Journal of Hepato-Biliary-Pancreatic Surgery*. 9(1):76-85, 2002.

281

Sunamura M. Yatsuoka T. Motoi F. Duda DG. Kimura M. Abe T. Yokoyama T. Inoue H. Oonuma M. Takeda K. Matsuno S. Gene therapy for pancreatic cancer based on genetic characterization of the disease. [Review] [42 refs] *Journal of Hepato-Biliary-Pancreatic Surgery*. 9(1):32-8, 2002.

282

Luo JH. Yu YP. Cieply K. Lin F. DeFlavia P. Dhir R. **Finkelstein SD**. Michalopoulos G. Becich M. Gene expression analysis of prostate cancers. *Molecular Carcinogenesis*. 33(1):25-35, 2002 Jan.

283

Nita ME. Alves VA. Carrilho FJ. Ono-Nita SK. Mello ES. Gama-Rodrigues JJ., "Molecular aspects of hepatic carcinogenesis," *Revista do Instituto de Medicina Tropical de Sao Paulo*. 44(1):39-48, 2002 Jan-Feb.

284

Ueki K. Nishikawa R. Nakazato Y. Hirose T. Hirato J. Funada N. Fujimaki T. Hojo S. Kubo O. Ide T. Usui M. Ochiai C. Ito S. Takahashi H. Mukasa A. Asai A. Kirino T., "Correlation of histology and molecular genetic analysis of 1p, 19q, 10q, TP53, EGFR, CDK4, and CDKN2A in 91 astrocytic and oligodendroglial tumors," *Clinical Cancer Research*. 8(1):196-201, 2002 Jan.

285

Bogler O. Finniss S. Kittiniyom K. Rempel S. Rosenblum M. Mikkelsen T. Newsham I., "Studying the heterogeneity of brain tumors using medium throughput LOH analysis," *Cytometry*. 47(1):52-5, 2002 Jan 1.

286

von Schweinitz D. Kraus JA. Albrecht S. Koch A. Fuchs J. Pietsch T., "Prognostic impact of molecular genetic alterations in hepatoblastoma," *Medical & Pediatric Oncology*. 38(2):104-8, 2002 Feb.

287

Pollack IF. **Finkelstein SD**. Woods J. Burnham J. Holmes EJ. Hamilton RL. Yates AJ. Boyett JM. Finlay JL. Spoto R. The Children's Cancer Group. Expression of p53 and prognosis in children with malignant gliomas. *New England Journal of Medicine*. 346(6):420-7, 2002 Feb 7.

288

Hanafusa T. Yumoto Y. Nouse K. Nakatsukasa H. Onishi T. Fujikawa T. Taniyama M. Nakamura S. Uemura M. Takuma Y. Yumoto E. Higashi T. Tsuji T., "Reduced expression of insulin-like growth factor binding protein-3 and its promoter hypermethylation in human hepatocellular carcinoma," *Cancer Letters*. 176(2):149-58, 2002 Feb 25.

289

Pollack IF. Biegel J. Yates A. Hamilton R. **Finkelstein SD**. isk assignment in childhood brain tumors: the emerging role of molecular and biologic classification. [Review] [49 refs] *Current Oncology Reports*. 4(2):114-22, 2002 Mar.

290

Watanabe T. Nakamura M. Kros JM. Burkhard C. Yonekawa Y. Kleihues P. Ohgaki H., "Phenotype versus genotype correlation in oligodendrogliomas and low-grade diffuse astrocytomas," *Acta Neuropathologica*. 103(3):267-75, 2002 Mar.

291

Herath NI. Kew MC. Walsh MD. Young J. Powell LW. Leggett BA. MacDonald GA., "Reciprocal relationship between methylation status and loss of heterozygosity at the p14(ARF) locus in Australian and South African hepatocellular carcinomas," *Journal of Gastroenterology & Hepatology*. 17(3):301-7, 2002 Mar.

292

Abraham SC. Wu TT. Hruban RH. Lee JH. Yeo CJ. Conlon K. Brennan M. Cameron JL. Klimstra DS. Genetic and immunohistochemical analysis of pancreatic acinar cell carcinoma: frequent allelic loss on chromosome 11p and alterations in the APC/beta-catenin pathway. *American Journal of Pathology*. 160(3):953-62, 2002 Mar.

293

Raja S. Luketich JD. Kelly LA. Gooding WE. **Finkelstein SD**. Godfrey TE. Rapid, quantitative reverse transcriptase-polymerase chain reaction: application to intraoperative molecular detection of occult metastases in esophageal cancer. *Journal of Thoracic & Cardiovascular Surgery*. 123(3):475-82; discussion 482-3, 2002 Mar.

294

Dacic S. **Finkelstein SD**. Sasatomi E. Swalsky PA. Yousem SA. Molecular pathogenesis of pulmonary carcinosarcoma as determined by microdissection-based allelotyping. *American Journal of Surgical Pathology*. 26(4):510-6, 2002 Apr.

295

Lott ST. Chandler DS. Curley SA. Foster CJ. El-Naggar A. Frazier M. Strong LC. Lovell M. Killary AM. High frequency loss of heterozygosity in von Hippel-Lindau (VHL)-associated and sporadic pancreatic islet cell tumors: evidence for a stepwise mechanism for malignant conversion in VHL tumorigenesis. *Cancer Research*. 62(7):1952-5, 2002 Apr 1.

296

Bian YS. Osterheld MC. Fontolliet C. Bosman FT. Benhattar J. p16 inactivation by methylation of the CDKN2A promoter occurs early during neoplastic progression in Barrett's esophagus. *Gastroenterology*. 122(4):1113-21, 2002 Apr.

297

Guo SS. Arora C. Shimoide AT. Sawicki MP. Frequent deletion of chromosome 3 in malignant sporadic pancreatic endocrine tumors. *Molecular & Cellular Endocrinology*. 190(1-2):109-14, 2002 Apr 25.

298

Saffroy R. Riou P. Soler G. Azoulay D. Emile JF. Debuire B. Lemoine A., "Analysis of alterations of WFDC1, a new putative tumour suppressor gene, in hepatocellular carcinoma," *European Journal of Human Genetics*. 10(4):239-44, 2002 Apr.

299

Feitelson MA. Sun B. Satiroglu Tufan NL. Liu J. Pan J. Lian Z., "Genetic mechanisms of hepatocarcinogenesis," *Oncogene*. 21(16):2593-604, 2002 Apr 11.

300

Randhawa PS. Khaleel-Ur-Rehman K. Swalsky PA. Vats A. Scantlebury V. Shapiro R. **Finkelstein SD**. DNA sequencing of viral capsid protein VP-1 region in patients with BK virus interstitial nephritis. *Transplantation*. 73(7):1090-4, 2002 Apr 15.

301

Park WS. Lee JH. Park JY. Jeong SW. Shin MS. Kim HS. Lee SK. Lee SN. Lee SH. Park CG. Yoo NJ. Lee JY., "Genetic analysis of the liver putative tumor suppressor (LPTS) gene in hepatocellular carcinomas," *Cancer Letters*. 178(2):199-207, 2002 Apr 25.

302

Sasatomi E. **Finkelstein SD**. Woods JD. Bakker A. Swalsky PA. Luketich JD. Fernando HC. Yousem SA. Comparison of accumulated allele loss between primary tumor and lymph node metastasis in stage II non-small cell lung carcinoma: implications for the timing of lymph node metastasis and prognostic value. *Cancer Research*. 62(9):2681-9, 2002 May 1.

303

Dong ZQ. Pang JC. Tong CY. Zhou LF. Ng HK., "Clonality of oligoastrocytomas," *Human Pathology*. 33(5):528-35, 2002 May.

304

Pourani J. Kaserer K. Pfragner R. Cytogenetic and molecular analyses of multiple endocrine neoplasias of the MEN1 syndrome. *International Journal of Oncology*. 20(5):971-6, 2002 May.

305

Oka Y. Waterland RA. Killian JK. Nolan CM. Jang HS. Tohara K. Sakaguchi S. Yao T. Iwashita A. Yata Y. Takahara T. Sato S. Suzuki K. Masuda T. Jirtle RL., "M6P/IGF2R tumor suppressor gene mutated in hepatocellular carcinomas in Japan," *Hepatology*. 35(5):1153-63, 2002 May.

306

Rasheed A. Herndon JE. Stenzel TT. Raetz JG. Kendelhardt J. Friedman HS. Friedman AH. Bigner DD. Bigner SH. McLendon RE., "Molecular markers of prognosis in astrocytic tumors," *Cancer*. 94(10):2688-97, 2002 May 15.

307

Fleming JB, Minna JD. Inactivation of tumor suppressor genes by promoter methylation is important in the pathogenesis of pancreatic cancer. *Cancer Biology & Therapy*. 1(3):297-9, 2002 May-Jun.

308

Terada K. Tamiya T. Daido S. Kambara H. Tanaka H. Ono Y. Matsumoto K. Ito S. Ouchida M. Ohmoto T. Shimizu K., Prognostic value of loss of heterozygosity around three candidate tumor suppressor genes on chromosome 10q in astrocytomas, *Journal of Neuro-Oncology*. 58(2):107-14, 2002 Jun.

309

Wong CM. Lee JM. Lau TC. Fan ST. Ng IO., Clinicopathological significance of loss of heterozygosity on chromosome 13q in hepatocellular carcinoma, *Clinical Cancer Research*. 8(7):2266-72, 2002 Jul.

310

Knobbe CB. Merlo A. Reifenberger G., Pten signaling in gliomas, *Neuro-Oncology*. 4(3):196-211, 2002 Jul.

311

Hu J. Pang JC. Tong CY. Lau B. Yin XL. Poon WS. Jiang CC. Zhou LF. Ng HK., High-resolution genome-wide allelotype analysis identifies loss of chromosome 14q as a recurrent genetic alteration in astrocytic tumours, *British Journal of Cancer*. 87(2):218-24, 2002 Jul 15.

312

Pollack IF. Hamilton RL. Burnham J. Holmes EJ. **Finkelstein SD**. Sposto R. Yates AJ. Boyett JM. Finlay JL. Impact of proliferation index on outcome in childhood malignant gliomas: results in a multi-institutional cohort. *Neurosurgery*. 50(6):1238-44; discussion 1244-5, 2002 Jun.

313

Levy L. Renard CA. Wei Y. Buendia MA., Genetic alterations and oncogenic pathways in hepatocellular carcinoma, *Annals of the New York Academy of Sciences*. 963:21-36, 2002 Jun.

314

Chan KL. Lee JM. Guan XY. Fan ST. Ng IO., High-density allelotyping of chromosome 8p in hepatocellular carcinoma and clinicopathologic correlation, *Cancer*. 94(12):3179-85, 2002 Jun 15.

315

Mueller W. Hartmann C. Hoffmann A. Lanksch W. Kiwit J. Tonn J. Veelken J. Schramm J. Weller M. Wiestler OD. Louis DN. von Deimling A., Genetic signature of oligoastrocytomas correlates with tumor location and denotes distinct molecular subsets, *American Journal of Pathology*. 161(1):313-9, 2002 Jul.

316

Wong CM. Lee JM. Lau TC. Fan ST. Ng IO., Clinicopathological significance of loss of heterozygosity on chromosome 13q in hepatocellular carcinoma, *Clinical Cancer Research*. 8(7):2266-72, 2002 Jul.

317

Kerr NJ, Chun YH, Yun K, Heathcott RW, Reeve AE, Sullivan MJ. Pancreatoblastoma is associated with chromosome 11p loss of heterozygosity and IGF2 overpression *Medical and Pediatric Oncology*. 39(1):52-4, 2002 Jul.

318

Ohori NP. Khalid A. Etemad B. **Finkelstein SD**. Multiple loss of heterozygosity without K-ras mutation identified by molecular analysis on fine-needle aspiration cytology specimen of acinar cell carcinoma of pancreas. *Diagnostic Cytopathology*. 27(1):42-6, 2002 Jul.

319

Guo SS. Wu AY. Sawicki MP. Deletion of chromosome 1, but not mutation of MEN-1, predicts prognosis in sporadic pancreatic endocrine tumors. *World Journal of Surgery*. 26(7):843-7, 2002 Jul.

320

Taniguchi K. Roberts LR. Aderca IN. Dong X. Qian C. Murphy LM. Nagorney DM. Burgart LJ. Roche PC. Smith DI. Ross JA. Liu W., Mutational spectrum of beta-catenin, AXIN1, and AXIN2 in hepatocellular carcinomas and hepatoblastomas, *Oncogene*. 21(31):4863-71, 2002 Jul 18.

321

Chang J. Kim NG. Piao Z. Park C. Park KS. Paik YK. Lee WJ. Kim BR. Kim H., Assessment of chromosomal losses and gains in hepatocellular carcinoma, *Cancer Letters*. 182(2):193-202, 2002 Aug 28.

322

Patel SA, Adams R, Goldstein M, Moskaluk CA. Genetic analysis of invasive carcinoma arising in intraductal oncocytic papillary neoplasm of the pancreas. *American Journal of Surgical Pathology*. 26(8):1071-7, 2002 Aug.

323

Gerlach B. Harder AH. Hulsebos TJ. Leenstra S. Slotman BJ. Vandertop WP. Hartmann KA. Sminia P., Radiosensitivity and TP 53, EGFR amplification and LOH10 analysis of primary glioma cell cultures, *Strahlentherapie und Onkologie*. 178(9):491-6, 2002 Sep.

324

Wei Y. Van Nhieu JT. Prigent S. Srivatanakul P. Tiollais P. Buendia MA., Altered expression of E-cadherin in hepatocellular carcinoma: correlations with genetic alterations, beta-catenin expression, and clinical features, *Hepatology*. 36(3):692-701, 2002 Sep.

325

van Rees BP. Caspers E. zur Hausen A. van den Brule A. Drillenburger P. Weterman MA. Offerhaus GJ., Different pattern of allelic loss in Epstein-Barr virus-positive gastric cancer with emphasis on the p53 tumor suppressor pathway, *American Journal of Pathology*. 161(4):1207-13, 2002 Oct.

326

Bluteau O. Jeannot E. Bioulac-Sage P. Marques JM. Blanc JF. Bui H. Beaudoin JC. Franco D. Balabaud C. Laurent-Puig P. Zucman-Rossi J., Bi-allelic inactivation of TCF1 in hepatic adenomas, *Nature Genetics*. 32(2):312-5, 2002 Oct.

327

Wild A, Langer P, Celik I, Chaloupka B, Bartsch DK. Chromosome 22q in pancreatic endocrine tumors: identification of a homozygous deletion and potential prognostic associations of allelic deletions. *European Journal of Endocrinology*. 147(4):507-13, 2002 Oct.

328

Buendia MA., Genetic alterations in hepatoblastoma and hepatocellular carcinoma: common and distinctive aspects, *Medical & Pediatric Oncology*. 39(5):530-5, 2002 Nov.

329

Nakata B, Yashiro M, Nishioka N, Aya M, Yamada S, Takenaka C, Ohira M, Ishikawa T, Nishino H, Wakasa K, Hirakawa K. Genetic alternations in adenoma-carcinoma sequencing of intraductal papillary-mucinous neoplasm of the pancreas. *International Journal of Oncology*. 21(5):1067-72, 2002 Nov.

330

Leung TH. Wong N. Lai PB. Chan A. To KF. Liew CT. Lau WY. Johnson PJ., Identification of four distinct regions of allelic imbalances on chromosome 1 by the combined comparative genomic hybridization and microsatellite analysis on hepatocellular carcinoma, *Modern Pathology*. 15(11):1213-20, 2002 Nov.

331

Ishikawa Y. Furuta R. Miyoshi T. Satoh Y. Okumura S. Nakagawa K. Tsuchiya E., Loss of heterozygosity and the smoking index increase with decrease in differentiation of lung adenocarcinomas: etiologic implications, *Cancer Letters*. 187(1-2):47-51, 2002 Dec 10.

332

Kaulich K. Blaschke B. Numann A. von Deimling A. Wiestler OD. Weber RG. Reifenberger G., Genetic alterations commonly found in diffusely infiltrating cerebral gliomas are rare or absent in pleomorphic xanthoastrocytomas, *Journal of Neuropathology & Experimental Neurology*. 61(12):1092-9, 2002 Dec.

333

Nagai H. Kim YS. Konishi N. Baba M. Kubota T. Yoshimura A. Emi M., Combined hypermethylation and chromosome loss associated with inactivation of SSI-1/SOCS-1/JAB gene in human hepatocellular carcinomas, *Cancer Letters*. 186(1):59-65, 2002 Dec 1.

334

Bissola L. Eoli M. Pollo B. Merciai BM. Silvani A. Salsano E. Maccagnano C. Bruzzone MG. Fuhrman Conti AM. Solero CL. Giombini S. Broggi G. Boiardi A. Finocchiaro G., Association of chromosome 10 losses and negative prognosis in oligoastrocytomas, *Annals of Neurology*. 52(6):842-5, 2002 Dec.

335

Lerebours F. Bertheau P. Bieche I. Driouch K. De The H. Hacene K. Espie M. Marty M. Lidereau R., Evidence of chromosome regions and gene involvement in inflammatory breast cancer, *International Journal of Cancer*. 102(6):618-22, 2002 Dec 20.

336

Pollack IF. Hamilton RL. **Finkelstein SD**. Lieberman F. Molecular abnormalities and correlations with tumor response and outcome in glioma patients. *Neuroimaging Clinics of North America*. 12(4):627-39, 2002

337

Ohori NP. Etemad B. Khalid A. **Finkelstein SD** Molecular cytology diagnosis of acinar cell carcinoma of the pancreas. *Diagnostic Cytopathology*, 27(1):42-6, 2002

338

Dacic S, **Finkelstein SD**, Baksh FK, Cong WM, Swalsky PA, Barnes LE, Yousem SA  
Small Cell Neuroendocrine Carcinoma Displays Unique Profiles of Tumor Suppressor Gene Loss in  
Relationship to Primary Site of Formation. *Human Pathology*, 33(9):927-32, 2002

339

Hunt JL, Baloch ZW, Barnes L, Swalsky PA, Trusky CL, Sasatomi E, **Finkelstein SD**, LiVolsi VA.  
Loss of heterozygosity mutations of tumor suppressor genes in cytologically atypical areas in  
chronic lymphocytic thyroiditis. *Endocrine Pathology*. 13(4):321-30, 2002

340

**Finkelstein SD**, Marsh W, Demetris AJ, Swalsky PA, Sasatomi E, Bonham A, Subotin M, Dvorchik I.  
Microdissection-based allelotyping discriminates de novo tumor from intrahepatic spread in  
hepatocellular carcinoma.  
*Hepatology*, 37(4):871-9, 2003

341

Cheung O, Kandil H, Moser AJ, Swalsky PA, Sasatomi E, **Finkelstein SD**. Primary duodenal  
carcinoma showing divergent growth patterns as determined by microdissection-based  
mutational genotyping. *Archives of Pathology & Laboratory Medicine*. 127(7):861-4, 2003

342

Baksh FK, Dacic S, **Finkelstein SD**, Swalsky PA, Raja S, Sasatomi E, Luketich JD, Fernando HC,  
Yousem SA. Widespread molecular alterations present in stage I non-small cell lung carcinoma  
fail to predict tumor recurrence. *Modern Pathology*. 16(1):28-34, 2003

343

Hunt JL, LiVolsi VA, Baloch ZW, Barnes EL, Swalsky PA, Niehouse L, **Finkelstein SD**.  
Microscopic papillary thyroid carcinoma compared with clinical carcinomas by loss of  
heterozygosity mutational profile. *American Journal of Surgical Pathology*. 27(2):159-66, 2003

344

Castellano-Sanchez AA, Ohgaki H, Yokoo H, Scheithauer BW, Burger PC, Hamilton RL, **Finkelstein  
SD**, Brat DJ. Granular cell astrocytomas show a high frequency of allelic loss but are not a  
genetically defined subset. *Brain Pathology*. 13(2):185-94, 2003

345

Hunt JL, Livolsi VA, Baloch ZW, Swalsky PA, Bakker A, Sasatomi E, **Finkelstein SD**, Barnes EL.  
A novel microdissection and genotyping of follicular-derived thyroid tumors to predict  
aggressiveness. *Human Pathology*. 34(4):375-80, 2003

346

Ariyanayagam-Baksh SM, Baksh FK, **Finkelstein SD**, Swalsky PA, Abernethy J, Barnes EL. Malignant  
blue nevus: a case report and molecular analysis. *American Journal of Dermatopathology*.  
25(1):21-7, 2003

347

Guan XY, Sham JS, Tai LS, Fang Y, Li H, Liang Q., Evidence for another tumor suppressor gene  
at 17p13.3 distal to TP53 in hepatocellular carcinoma, *Cancer Genetics & Cytogenetics*.  
140(1):45-8, 2003 Jan 1.

348

Powell CA. Bueno R. Borczuk AC. Caracta CF. Richards WG. Sugarbaker DJ. Brody JS., Patterns of allelic loss differ in lung adenocarcinomas of smokers and nonsmokers, *Lung Cancer*. 39(1):23-9, 2003 Jan.

349

Keleg S, Buchler P, Ludwig R, Buchler MW, Friess H. Invasion and metastasis in pancreatic cancer. *Molecular Cancer*. 2:14, 2003 Jan 22.

350

Tseng TL. Shih YP. Huang YC. Wang CK. Chen PH. Chang JG. Yeh KT. Chen YM. Buetow KH., Genotypic and phenotypic characterization of a putative tumor susceptibility gene, GNMT, in liver cancer, *Cancer Research*. 63(3):647-54, 2003 Feb 1.

351

Chen YJ, Vortmeyer A, Zhuang Z, Huang S, Jensen RT. Loss of heterozygosity of chromosome 1q in gastrinomas: occurrence and prognostic significance. *Cancer Research*. 63(4):817-23, 2003 Feb 15.

352

Zhao X. He M. Wan D. Ye Y. He Y. Han L. Guo M. Huang Y. Qin W. Wang MW. Chong W. Chen J. Zhang L. Yang N. Xu B. Wu M. Zuo L. Gu J., The minimum LOH region defined on chromosome 17p13.3 in human hepatocellular carcinoma with gene content analysis, *Cancer Letters*. 190(2):221-32, 2003 Feb 20.

353

Matsuo K. Satoh S. Okabe H. Nomura A. Maeda T. Yamaoka Y. Ikai I., SIAH1 inactivation correlates with tumor progression in hepatocellular carcinomas, *Genes, Chromosomes & Cancer*. 36(3):283-91, 2003 Mar.

354

Wild A, Ramaswamy A, Langer P, Celik I, Fendrich V, Chaloupka B, Simon B, Bartsch DK. Frequent methylation-associated silencing of the tissue inhibitor of metalloproteinase-3 gene in pancreatic endocrine tumors. *Journal of Clinical Endocrinology & Metabolism*. 88(3):1367-73, 2003 Mar.

355

Ching YP. Wong CM. Chan SF. Leung TH. Ng DC. Jin DY. Ng IO., Deleted in liver cancer (DLC) 2 encodes a RhoGAP protein with growth suppressor function and is underexpressed in hepatocellular carcinoma, *Journal of Biological Chemistry*. 278(12):10824-30, 2003 Mar 21.

356

Sanz-Ortega J. Hernandez S. Saez MC. Sierra E. Sanz-Ortega G. Torres A. Balibrea JL. Sanz-Esponera J. Merino MJ. 3p21, 5q21, 9p21 and 17p13.1 allelic deletions are potential markers of individuals with a high risk of developing adenocarcinoma in Barrett's epithelium without dysplasia. *Hepato-Gastroenterology*. 50(50):404-7, 2003 Mar-Apr.

357

Suspiro A. Pereira AD. Afonso A. Albuquerque C. Chaves P. Soares J. Leitao CN. Losses of heterozygosity on chromosomes 9p and 17p are frequent events in Barrett's metaplasia not associated with dysplasia or adenocarcinoma. **Finkelstein SD.** Marsh W. Demetris AJ. Swalsky PA. Sasatomi E. Bonham A. Subotin M. Dvorchik I., "Microdissection-based allelotyping discriminates de novo tumor from intrahepatic spread in hepatocellular carcinoma," *Hepatology.* 37(4):871-9, 2003 Apr.

358

Anzola M. Cuevas N. Lopez-Martinez M. Saiz A. Burgos JJ. de Pancorbo MM., Frequent loss of p53 codon 72 Pro variant in hepatitis C virus-positive carriers with hepatocellular carcinoma, *Cancer Letters.* 193(2):199-205, 2003 Apr 25.

359

Kahng YS. Lee YS. Kim BK. Park WS. Lee JY. Kang CS., Loss of heterozygosity of chromosome 8p and 11p in the dysplastic nodule and hepatocellular carcinoma, *Journal of Gastroenterology & Hepatology.* 18(4):430-6, 2003 Apr.

360

Castellano-Sanchez AA. Ohgaki H. Yokoo H. Scheithauer BW. Burger PC. Hamilton RL. **Finkelstein SD.** Brat DJ., Granular cell astrocytomas show a high frequency of allelic loss but are not a genetically defined subset, *Brain Pathology.* 13(2):185-94, 2003 Apr.

361

Nakayama S. Nakayama K. Takebayashi Y. Hata K. Fujiwaki R. Fukumoto M. Miyazaki K., Allelotypes as potential prognostic markers in ovarian carcinoma treated with cisplatin-based chemotherapy, *International Journal of Molecular Medicine.* 11(5):621-5, 2003 May.

362

Gross-Goupil M. Riou P. Emile JF. Saffroy R. Azoulay D. Lacherade I. Receveur A. Piatier-Tonneau D. Castaing D. Debuire B. Lemoine A., Analysis of chromosomal instability in pulmonary or liver metastases and matched primary hepatocellular carcinoma after orthotopic liver transplantation, *International Journal of Cancer.* 104(6):745-51, 2003 May 10.

363

Park S. Kim SW. Kim SH. Lee BL. Kim WH., Loss of heterozygosity in ampulla of Vater neoplasms during adenoma-carcinoma sequence, *Anticancer Research.* 23(3C):2955-9, 2003 May-Jun.

364

Dolan K. Morris AI. Gosney JR. Field JK. Sutton R. Loss of heterozygosity on chromosome 17p predicts neoplastic progression in Barrett's esophagus. *Journal of Gastroenterology & Hepatology.* 18(6):683-9, 2003 Jun.

365

Leuraud P. Aguirre-Cruz L. Hoang-Xuan K. Criniere E. Tanguy ML. Golmard JL. Kujas M. Delattre JY. Sanson M., Telomerase reactivation in malignant gliomas and loss of heterozygosity on 10p15.1, *Neurology.* 60(11):1820-2, 2003 Jun 10.

366

Ott K. Vogelsang H. Mueller J. Becker K. Muller M. Fink U. Siewert JR. Hofler H. Keller G., Chromosomal instability rather than p53 mutation is associated with response to neoadjuvant cisplatin-based chemotherapy in gastric carcinoma, *Clinical Cancer Research*. 9(6):2307-15, 2003 Jun.

367

Ho MK. Lee JM. Chan CK. Ng IO., Allelic alterations in nontumorous liver tissues and corresponding hepatocellular carcinomas from chinese patients, *Human Pathology*. 34(7):699-705, 2003 Jul.

368

Hellerbrand C. Poppl A. Hartmann A. Scholmerich J. Lock G., HFE C282Y heterozygosity in hepatocellular carcinoma: evidence for an increased prevalence, *Clinical Gastroenterology & Hepatology*. 1(4):279-84, 2003 Jul.

369

Ho MK. Lee JM. Chan CK. Ng IO., Allelic alterations in nontumorous liver tissues and corresponding hepatocellular carcinomas from chinese patients, *Human Pathology*. 34(7):699-705, 2003 Jul.

370

Marsh JW. **Finkelstein SD**. Demetris AJ. Swalsky PA. Sasatomi E. Bandos A. Subotin M. Dvorchik I., Genotyping of hepatocellular carcinoma in liver transplant recipients adds predictive power for determining recurrence-free survival, *Liver Transplantation*. 9(7):664-71, 2003 Jul.

371

Jeng YM. Hsu HC, "KLF6, a putative tumor suppressor gene, is mutated in astrocytic gliomas," *International Journal of Cancer*. 105(5):625-9, 2003 Jul 10.

372

Sarkar C. Chattopadhyay P. Ralte AM. Mahapatra AK. Sinha S., Loss of heterozygosity of a locus in the chromosomal region 17p13.3 is associated with increased cell proliferation in astrocytic tumors, *Cancer Genetics & Cytogenetics*. 144(2):156-64, 2003 Jul 15.

373

Morimoto O. Nagano H. Sakon M. Fujiwara Y. Yamada T. Nakagawa H. Miyamoto A. Kondo M. Arai I. Yamamoto T. Ota H. Dono K. Umeshita K. Nakamori S. Sasaki Y. Ishikawa O. Imaoka S. Monden M., Diagnosis of intrahepatic metastasis and multicentric carcinogenesis by microsatellite loss of heterozygosity in patients with multiple and recurrent hepatocellular carcinomas, *Journal of Hepatology*. 39(2):215-21, 2003 Aug.

374

Thiessen B. Maguire JA. McNeil K. Huntsman D. Martin MA. Horsman D., Loss of heterozygosity for loci on chromosome arms 1p and 10q in oligodendroglial tumors: relationship to outcome and chemosensitivity, *Journal of Neuro-Oncology*. 64(3):271-8, 2003 Sep.

375

Idoate MA. Soria E. Lozano MD. Sola JJ. Panizo A. de Alava E. Manrique M. Pardo-Mindan FJ., PTEN protein expression correlates with PTEN gene molecular changes but not with VEGF expression in astrocytomas, *Diagnostic Molecular Pathology*. 12(3):160-5, 2003 Sep.

376

Pollack IF. **Finkelstein SD.** Burnham J. Hamilton RL. Yates AJ. Holmes EJ. Boyett JM. Finlay JL, Association between chromosome 1p and 19q loss and outcome in pediatric malignant gliomas: results from the CCG-945 cohort, *Pediatric Neurosurgery*. 39(3):114-21, 2003 Sep.

377

Niu Q. Tang ZY. Qin LX. Ma ZC. Zhang LH., Loss of heterozygosity at D14S62 and D14S51 detected by a simple and non-radioactive method in plasma DNA is a potential marker of metastasis and recurrence after curative hepatic resection in hepatocellular carcinoma, *Hepato-Gastroenterology*. 50(53):1579-82, 2003 Sep-Oct.

378

Godfraind C. Rousseau E. Ruchoux MM. Scaravilli F. Vikkula M., Tumour necrosis and microvascular proliferation are associated with 9p deletion and CDKN2A alterations in 1p/19q-deleted oligodendrogliomas, *Neuropathology & Applied Neurobiology*. 29(5):462-71, 2003 Oct.

379

Koo SH. Ihm CH. Kwon KC. Lee JS. Park JW. Kim JW., Microsatellite alterations in hepatocellular carcinoma and intrahepatic cholangiocarcinoma, *Cancer Genetics & Cytogenetics*. 146(2):139-44, 2003 Oct 15.

380

Fujii H. Ichikawa K. Takagaki T. Nakanishi Y. Ikegami M. Hirose S. Shimoda T., Genetic evolution of alpha fetoprotein producing gastric cancer, *Journal of Clinical Pathology*. 56(12):942-9, 2003 Dec.

381

Rao UN. Jones MW. **Finkelstein SD.** Genotypic analysis of primary and metastatic cutaneous melanoma. *ancer Genetics & Cytogenetics*. 140(1):37-44, 2003

382

Hunt JL. Swalsky P. Sasatomi E. Niehouse L. Bakker A. **Finkelstein SD.** A microdissection and molecular genotyping assay to confirm the identity of tissue floaters in paraffin-embedded tissue blocks. *Archives of Pathology & Laboratory Medicine*. 127(2):213-7, 2003

383

Dacic S. Trusky C. Bakker A. **Finkelstein SD.** Yousem SA. Genotypic analysis of pulmonary Langerhans cell histiocytosis. *Human Pathology*. 34(12):1345-9, 2003

384

Marsh JW, **Finkelstein SD,** Demetris AJ, Swalsky PA, Sasatomi E, Bandos A, Subotin M, Dvorchik I Genotyping of Hepatocellular Carcinoma in Liver Transplant Recipients Adds Predictive Power for Determining Recurrence-Free Survival. *Liver Transplantation*, Vol 9, No 7 (July 2003): pp 664-671

385

Ho MK. Lee JM. Chan CK. Ng IO., Allelic alterations in nontumorous liver tissues and corresponding hepatocellular carcinomas from chinese patients, *Human Pathology*. 34(7):699-705, 2003 Jul.

386

Butz J, Wickstrom E, Edwards J. Characterization of mutations and loss of heterozygosity of p53 and K-ras2 in pancreatic cancer cell lines by immobilized polymerase chain reaction. *BMC Biotechnology*. 3:11, 2003 Jul 23.

387

Sahin F, Maitra A, Argani P, Sato N, Maehara N, Montgomery E, Goggins M, Hruban RH, Su GH. Loss of Stk11/Ikb1 expression in pancreatic and biliary neoplasms. *Modern Pathology*. 16(7):686-91, 2003 Jul.

388

Hayashi M, Tamura G, Kato N, Ansai S, Kondo S, Motoyama T., Genetic analysis of cutaneous squamous cell carcinomas arising from different areas, *Pathology International*. 53(9):602-7, 2003 Sep.

389

Pizzi S, Azzoni C, Bassi D, Bottarelli L, Milione M, Bordi C., Genetic alterations in poorly differentiated endocrine carcinomas of the gastrointestinal tract, *Cancer*. 98(6):1273-82, 2003 Sep 15.

390

Kim SG, Wu TT, Lee JH, Yun YK, Issa JP, Hamilton SR, Rashid A. Comparison of epigenetic and genetic alterations in mucinous cystic neoplasm and serous microcystic adenoma of pancreas. *Modern Pathology*. 16(11):1086-94, 2003 Nov.

391

Wong CM, Lee JM, Ching YP, Jin DY, Ng IO, Genetic and epigenetic alterations of DLC-1 gene in hepatocellular carcinoma, *Cancer Research*. 63(22):7646-51, 2003 Nov 15.

392

Dacic S, Trusky C, Bakker A, **Finkelstein SD**, Yousem SA., Genotypic analysis of pulmonary Langerhans cell histiocytosis, *Human Pathology*. 34(12):1345-9, 2003 Dec.

393

Fujii H, Ichikawa K, Takagaki T, Nakanishi Y, Ikegami M, Hirose S, Shimoda T., Genetic evolution of alpha fetoprotein producing gastric cancer, *Journal of Clinical Pathology*. 56(12):942-9, 2003 Dec.

394

Ohori NP, Fowler MH, Swalsky PA, Pal R, Thompson J, **Finkelstein SD**. Comparative molecular analysis of loss of heterozygosity in adenocarcinoma in bile duct brushings and corresponding surgical pathology specimens. *Cancer*. 99(6):379-84, 2003 Dec 25.

395

Hua Z, Zhang YC, Hu XM, Jia ZG. Loss of DPC4 expression and its correlation with clinicopathological parameters in pancreatic carcinoma. *World Journal of Gastroenterology*. 9(12):2764-7, 2003 Dec.

396

Kumar R. Angelini S. Hemminki K., Activating BRAF and N-Ras mutations in sporadic primary melanomas: an inverse association with allelic loss on chromosome 9, *Oncogene*. 22(58):9217-24, 2003 Dec 18.

397

Harkes IC. Elstrodt F. Dinjens WN. Molier M. Klijn JG. Berns EM. Schutte M., Allelotype of 28 human breast cancer cell lines and xenografts, *British Journal of Cancer*. 89(12):2289-92, 2003 Dec 15.

398

Ohuri NP. Fowler MH. Swalsky PA. Pal R. Thompson J. **Finkelstein SD**, Comparative molecular analysis of loss of heterozygosity in adenocarcinoma in bile duct brushings and corresponding surgical pathology specimens, *Cancer*. 99(6):379-84, 2003 Dec 25.

399

Fernando HC. Sasatomi E. Christie NA. Buenaventura PO. **Finkelstein SD**. Yousem SA. Soose R. Close JM. Luketich JD, Comparison of mutational changes in involved N1 lymph nodes with those in primary tumors in stage II non-small cell lung cancer: a pilot study, *Journal of Thoracic & Cardiovascular Surgery*. 127(1):87-91, 2004 Jan.

400

Mukasa A. Ueki K. Ge X. Ishikawa S. Ide T. Fujimaki T. Nishikawa R. Asai A. Kirino T. Aburatani H., Selective expression of a subset of neuronal genes in oligodendroglioma with chromosome 1p loss, *Brain Pathology*. 14(1):34-42, 2004 Jan.

401

Zainuddin N. Jaafart H. Isa MN. Abdullah JM., Loss of heterozygosity on chromosomes 10q, 9p, 17p and 13q in malays with malignant glioma, *Neurological Research*. 26(1):88-92, 2004 Jan.

402

Anzola M. Cuevas N. Lopez-Martinez M. Saiz A. Burgos JJ. Martinez de Pancorboa M., P14ARF gene alterations in human hepatocellular carcinoma, *European Journal of Gastroenterology & Hepatology*. 16(1):19-26, 2004 Jan.

403

Kim CJ. Cho YG. Park JY. Kim TY. Lee JH. Kim HS. Lee JW. Song YH. Nam SW. Lee SH. Yoo NJ. Lee JY. Park WS., Genetic analysis of the LKB1/STK11 gene in hepatocellular carcinomas, *European Journal of Cancer*. 40(1):136-41, 2004 Jan.

404

Puṭ-Ti-Noi S. Petmitr S. Chanyavanich V. Sangruji T. Theerapuncharoen V. Hayashi K. Thangnipon W., Chromosome 10 and 17 deletions and p53 gene mutations in Thai patients with astrocytomas, *Oncology Reports*. 11(1):207-11, 2004 Jan.

405

Iacobuzio-Donahue CA. van der Heijden MS. Baumgartner MR. Troup WJ. Romm JM. Doheny K. Pugh E. Yeo CJ. Goggins MG. Hruban RH. Kern SE., Large-scale allelotype of pancreaticobiliary carcinoma provides quantitative estimates of genome-wide allelic loss, *Cancer Research*. 64(3):871-5, 2004 Feb 1.

406

Aoki T, Miyamoto A, Marubashi S, Nagano H, Umeshita K, Fujiwara Y, Dono K, Nakamori S, Sakon M, Monden M., Clinical value of alterations in p73 gene, related to p53 at 1p36, in human hepatocellular carcinoma, *International Journal of Oncology*. 24(2):441-6, 2004 Feb.

407

Xiao WH, Liu WW, Hemizygous deletion and hypermethylation of RUNX3 gene in hepatocellular carcinoma, *World Journal of Gastroenterology*. 10(3):376-80, 2004 Feb

408

Iacobuzio-Donahue CA, van der Jeijden MS, Baumgartner MR, Troup WJ, Romm JM, Doheny K, Pugh E, Yeo CJ, Goggins MG, Hruban RH, Kern SE. Large-scale allelotype of pancreaticobiliary carcinoma provides quantitative estimates of genome-wide allelic loss. *Cancer Research*. 64(3):871-5, 2004 Feb. 1.

409

Ozolek JA, Sasatomi E, Swalsky PA, Rao U, Krasinskas A, **Finkelstein SD**. Inflammatory fibroid polyps of the gastrointestinal tract: clinical, pathologic, and molecular characteristics. *Applied Immunohistochemistry & Molecular Morphology*. 12(1):59-66, 2004 Mar.

410

Prayson RA, "Cyclooxygenase-2, Bcl-2, and chromosome 1p analysis in protoplasmic astrocytomas," *Human Pathology*. 35(3):317-21, 2004 Mar.

411

Wada K, Takada T, Yasuda H, Amano H, Yoshida M, Sugimoto M, Irie H. Does "clonal progression" relate to the development of intraductal papillary mucinous tumors of the pancreas? *Journal of Gastrointestinal Surgery*. 8(3):289-96, 2004 Mar-Apr.

412

Felsberg J, Erkwow A, Sabel MC, Kirsch L, Fimmers R, Blaschke B, Schlegel U, Schramm J, Wiestler OD, Reifenberger G., Oligodendroglial tumors: refinement of candidate regions on chromosome arm 1p and correlation of 1p/19q status with survival, *Brain Pathology*. 14(2):121-30, 2004 Apr.

413

Arnold CN, Sosnowski A, Blum HE. Analysis of molecular pathways in neuroendocrine cancers of the gastroenteropancreatic system. *Annals of the New York Academy of Sciences*. 1014:218-9, 2004 Apr.

414

Leffer LP, Sunamura M, Furukawa T, Yastuoka T, Abe H, Inoue H, Abe T, Egawa S, Miura K, Morita R, Horii A, Matsuno S. Functional analysis of chromosome 18 in pancreatic cancer: strong evidence for new tumour suppressor genes. *Asian Journal of Surgery*. 27(2):85-92, 2004 Apr.

415

Kuroki T, Yendamuri S, Trapasso F, Matsuyama A, Aqeilan RI, Alder H, Rattan S, Cesari R, Nolli ML, Williams NN, Mori M, Kanematsu T, Croce CM. The tumor suppressor gene WWOX at FRA16D is involved in pancreatic carcinogenesis. *Clinical Cancer Research*. 10(7):2459-65, 2004 Apr 1.

416

Feitelson MA. Pan J. Lian Z., Early molecular and genetic determinants of primary liver malignancy, *Surgical Clinics of North America*. 84(2):339-54, 2004 Apr.

417

Schoedel KE. **Finkelstein SD**. Swalsky PA. Ohori NP. Molecular profiling of primary and metastatic neoplasms in the lung using cytologic material obtained by fine-needle aspiration: report of two cases. *Diagnostic Cytopathology*. 30(5):342-6, 2004 May.

418

McLendon, R 1; Swalsky, P 2; **Finkelstein, S** 3

RELATIONSHIP OF THE PATTERN OF 1p/19q ALLELIC LOSS TO THE HISTOLOGIC TYPE OF GLIOMA: 164.[Abstract] *JNEN: Journal of Neuropathology & Experimental Neurology*. 63(5):551, May 2004.

419

Dichamp C. Taillibert S. Aguirre-Cruz L. Lejeune J. Marie Y. Kujas M. Delattre JY. Hoang-Xuan K. Sanson M., Loss of 14q chromosome in oligodendroglial and astrocytic tumors, *Journal of Neuro-Oncology*. 67(3):281-5, 2004 May.

420

**Finkelstein SD**. Mohan D. Hamilton RL. Sasatomi E. Swalsky PA. Lieberman FS., Microdissection-based genotyping assists discrimination of reactive gliosis from glioma, *American Journal of Clinical Pathology*. 121(5):671-8, 2004 May.

421

Hulsebos TJ. Troost D. Leenstra S., Molecular-genetic characterisation of gliomas that recur as same grade or higher grade tumours, *Journal of Neurology, Neurosurgery & Psychiatry*. 75(5):723-6, 2004 May.

422

McLendon, R 1; Swalsky, P 2; **Finkelstein, S** 3 DETERMINATION AND SIGNIFICANCE OF THE TIMING OF 1p/19q ALLELIC LOSS IN RELATION TO AGGRESSIVE MUTATIONS (9p, 10q, 17p) IN GLIOMAS: 163.[Abstract] *JNEN: Journal of Neuropathology & Experimental Neurology*. 63(5):551, May 2004.

423

Maley CC. Galipeau PC. Li X. Sanchez CA. Paulson TG. Reid BJ. Selectively advantageous mutations and hitchhikers in neoplasms: p16 lesions are selected in Barrett's esophagus. *Cancer Research*. 64(10):3414-27, 2004 May 15.

424

Rolston, R K 1; Maciunas, R 1; **Finkelstein, S** D 2; Swalsky, P A 3; Sagar, S 1; Cohen, M L 1 TOPOGRAPHIC DISTRIBUTION, GENOMIC PATTERN AND TIMING OF 1p ALLELIC LOSS PREDICTS TREATMENT RESPONSIVENESS IN GLIOMAS: 161.[Abstract] *JNEN: Journal of Neuropathology & Experimental Neurology*. 63(5):550, May 2004.

425

Moore PS. Missiaglia E. Beghelli S. Bragantini E. Mina MM. Zamboni G. Falconi M. Scarpa A., Allelotype of ampulla of Vater cancer: highly frequent involvement of chromosome 11, *Journal of Cancer Research & Clinical Oncology*. 130(6):339-45, 2004 Jun.

426

Moore PS, Missiaglia E, Beghelli S, Bragantini E, Mina MM, Zamboni G, Falconi M, Scarpa A. Allelotype of ampulla of Vater cancer; highly frequent involvement of chromosome 11. *Journal of Cancer Research & Clinical Oncology*. 130(6):339-45, 2004 Jun.

427

Bouvier C. Roll P. Quilichini B. Metellus P. Calisti A. Gilles S. Chinot O. Fina F. Martin PM. Figarella-Branger D., Deletions of chromosomes 1p and 19q are detectable on frozen smears of gliomas by FISH: usefulness for stereotactic biopsies, *Journal of Neuro-Oncology*. 68(2):141-9, 2004 Jun.

428

Zhuang Z. Lee YS. Zeng W. Furuta M. Valyi-Nagy T. Johnson MD. Vnencak-Jones CL. Woltjer RL. Weil RJ., Molecular genetic and proteomic analysis of synchronous malignant gliomas, *Neurology*. 62(12):2316-9, 2004 Jun 22.

429

Bouvier C. Roll P. Quilichini B. Metellus P. Calisti A. Gilles S. Chinot O. Fina F. Martin PM. Figarella-Branger D., Deletions of chromosomes 1p and 19q are detectable on frozen smears of gliomas by FISH: usefulness for stereotactic biopsies, *Journal of Neuro-Oncology*. 68(2):141-9, 2004 Jun.

430

Zhuang Z. Lee YS. Zeng W. Furuta M. Valyi-Nagy T. Johnson MD. Vnencak-Jones CL. Woltjer RL. Weil RJ., Molecular genetic and proteomic analysis of synchronous malignant gliomas, *Neurology*. 62(12):2316-9, 2004 Jun 22.

431

Miyai K. Furugen Y. Matsumoto T. Iwabuchi K. Hirose S. Kinoshita K. Fujii H., Loss of heterozygosity analysis in uterine cervical adenocarcinoma, *Gynecologic Oncology*. 94(1):115-20, 2004 Jul.

432

Okamoto Y. Di Patre PL. Burkhard C. Horstmann S. Jourde B. Fahey M. Schuler D. Probst-Hensch NM. Yasargil MG. Yonekawa Y. Lutolf UM. Kleihues P. Ohgaki H., Population-based study on incidence, survival rates, and genetic alterations of low-grade diffuse astrocytomas and oligodendrogliomas, *Acta Neuropathologica*. 108(1):49-56, 2004 Jul.

433

Zhu GN. Zuo L. Zhou Q. Zhang SM. Zhu HQ. Gui SY. Wang Y., Loss of heterozygosity on chromosome 10q22-10q23 and 22q11.2-22q12.1 and p53 gene in primary hepatocellular carcinoma, *World Journal of Gastroenterology*. 10(13):1975-8, 2004 Jul 1.

434

Schwark T, Bachmann C, von Wurmb-Schwark N. STR gyping of ductal adenocarcinomas of the pancreas and healthy control tissue in 18 individuals. *Legal Medicine*. 6(3):170-3, 2004 Jul.

435

Segal F. Kaspary AP. Prolla JC. Leistner S. p53 protein overexpression and p53 mutation analysis in patients with intestinal metaplasia of the cardia and Barrett's esophagus. *Cancer Letters*. 210(2):213-8, 2004 Jul 16.

436

Dacic S. Sasatomi E. Swalsky PA. Kim DW. **Finkelstein SD.** Yousem SA., Loss of heterozygosity patterns of sclerosing hemangioma of the lung and bronchioloalveolar carcinoma indicate a similar molecular pathogenesis, *Archives of Pathology & Laboratory Medicine*. 128(8):880-4, 2004 Aug.

437

Beetz C. Hartmann A. Kiehntopf M. Wolf S. Kalff R. Deufel T. Patt S., Rapid generation of detailed loss of heterozygosity profiles for routine diagnosis of gliomas. *Clinical Chemistry & Laboratory Medicine*. 42(6):595-601, 2004.

438

Huang H. Okamoto Y. Yokoo H. Heppner FL. Vital A. Fevre-Montange M. Jouvét A. Yonekawa Y. Lazaridis EN. Kleihues P. Ohgaki H., Gene expression profiling and subgroup identification of oligodendrogliomas. *Oncogene*. 23(35):6012-22, 2004 Aug 5.

439

Hoang-Xuan K. Capelle L. Kujas M. Taillibert S. Duffau H. Lejeune J. Polivka M. Criniere E. Marie Y. Mokhtari K. Carpentier AF. Laigle F. Simon JM. Cornu P. Broet P. Sanson M. Delattre JY, Temozolomide as initial treatment for adults with low-grade oligodendrogliomas or oligoastrocytomas and correlation with chromosome 1p deletions, *Journal of Clinical Oncology*. 22(15):3133-8, 2004 Aug 1.

440

Dacic S. Sasatomi E. Swalsky PA. Kim DW. **Finkelstein SD.** Yousem SA. Loss of heterozygosity patterns of sclerosing hemangioma of the lung and bronchioloalveolar carcinoma indicate a similar molecular pathogenesis. [Review] [34 refs] *Archives of Pathology & Laboratory Medicine*. 128(8):880-4, 2004 Aug.

441

Vieth M. Schneider-Stock R. Rohrich K. May A. Ell C. Markwarth A. Roessner A. Stolte M. Tannapfel A. INK4a-ARF alterations in Barrett's epithelium, intraepithelial neoplasia and Barrett's adenocarcinoma. *Virchows Archiv*. 445(2):135-41, 2004 Aug.

442

Huang H. Okamoto Y. Yokoo H. Heppner FL. Vital A. Fevre-Montange M. Jouvét A. Yonekawa Y. Lazaridis EN. Kleihues P. Ohgaki H., Gene expression profiling and subgroup identification of oligodendrogliomas. *Oncogene*. 23(35):6012-22, 2004 Aug 5.

443

Hoang-Xuan K. Capelle L. Kujas M. Taillibert S. Duffau H. Lejeune J. Polivka M. Criniere E. Marie Y. Mokhtari K. Carpentier AF. Laigle F. Simon JM. Cornu P. Broet P. Sanson M. Delattre JY, Temozolomide as initial treatment for adults with low-grade oligodendrogliomas or oligoastrocytomas and correlation with chromosome 1p deletions, *Journal of Clinical Oncology*. 22(15):3133-8, 2004 Aug 1.

444

Park SW. Ludes-Meyers J. Zimonjic DB. Durkin ME. Popescu NC. Aldaz CM, Frequent downregulation and loss of WWOX gene expression in human hepatocellular carcinoma, *British Journal of Cancer*. 91(4):753-9, 2004 Aug 16.

445

Cazals-Hatem D. Rebouissou S. Bioulac-Sage P. Bluteau O. Blanche H. Franco D. Monges G. Belghiti J. Sa Cunha A. Laurent-Puig P. Degott C. Zucman-Rossi J., Clinical and molecular analysis of combined hepatocellular-cholangiocarcinomas. *Journal of Hepatology*. 41 (2):292-8, 2004 Aug.

446

Beetz C. Hartmann A. Kiehntopf M. Wolf S. Kalff R. Deufel T. Patt S., Rapid generation of detailed loss of heterozygosity profiles for routine diagnosis of gliomas. *Clinical Chemistry & Laboratory Medicine*. 42(6):595-601, 2004.

447

Nodit L. Barnes L. Childers E. **Finkelstein S.** Swalsky P. Hunt J. Allelic loss of tumor suppressor genes in ameloblastic tumors. *Modern Pathology*. 17(9):1062-7, 2004 Sep.

448

Kondo M. Marusawa H. Ueda Y. Katsurada A. Kawasome C. Takami S. Kinoshita M. Ikai I. Yamaoka Y. Chiba T., Diverse p53 gene aberration in hepatocellular carcinoma detected by dual-color fluorescence in situ hybridization, *Journal of Gastroenterology & Hepatology*. 19(9):1066-73, 2004 Sep.

449

Ramanathan RK. Hwang JJ. Zamboni WC. Sinicrope FA. Safran H. Wong MK. Earle M. Brufsky A. Evans T. Troetschel M. Walko C. Day R. Chen HX. **Finkelstein S.** Low overexpression of HER-2/neu in advanced colorectal cancer limits the usefulness of trastuzumab (Herceptin) and irinotecan as therapy. A phase II trial. *Cancer Investigation*. 22(6):858-65, 2004.

450

Mohan D. Rao GR. Swalsky PA. Bakker A. Martinez AJ. **Finkelstein SD.** Microdissection genotyping of mixed glial and primitive neuroectodermal central nervous system neoplasm. *Archives of Pathology & Laboratory Medicine*. 128(10):1161-4, 2004 Oct.

451

Baksh FK. **Finkelstein SD.** Ariyanayagam-Baksh SM. Swalsky PA. Klein EC. Dunn JC. Absence of *Mycobacterium avium* subsp. *paratuberculosis* in the microdissected granulomas of Crohn's disease. *Modern Pathology*. 17(10):1289-94, 2004 Oct.

452

Clement G. Bosman FT. Fontollet C. Benhattar J. Monoallelic methylation of the APC promoter is altered in normal gastric mucosa associated with neoplastic lesions. *Cancer Research*. 64(19):6867-73, 2004 Oct 1.

453

Maley CC. Galipeau PC. Li X. Sanchez CA. Paulson TG. Blount PL. Reid BJ. The combination of genetic instability and clonal expansion predicts progression to esophageal adenocarcinoma. *Cancer Research*. 64(20):7629-33, 2004 Oct 15.

454

Zainuddin N. Jaafar H. Isa MN. Abdullah JM., Presence of allelic loss and PTEN mutations in malignant gliomas from Malay patients, *Medical Journal of Malaysia*. 59(4):468-79, 2004 Oct.

455

Boudreau CR. Liau LM., Molecular characterization of brain tumors, *Clinical Neurosurgery*. 51:81-90, 2004.

456

Daido S. Takao S. Tamiya T. Ono Y. Terada K. Ito S. Ouchida M. Date I. Ohmoto T. Shimizu K., Loss of heterozygosity on chromosome 10q associated with malignancy and prognosis in astrocytic tumors, and discovery of novel loss regions, *Oncology Reports*. 12(4):789-95, 2004 Oct.

457

Yeh SH. Lin MW. Lu SF. Wu DC. Tsai SF. Tsai CY. Lai MY. Hsu HC. Chen DS. Chen PJ., Allelic loss of chromosome 4q21 approximately 23 associates with hepatitis B virus-related hepatocarcinogenesis and elevated alpha-fetoprotein, *Hepatology* 40(4):847-54, 2004 Oct.

458

Nagai H. Terada Y. Tajiri T. Yabe A. Onda M. Nagahata T. Ezura Y. Minegishi M. Horiguchi M. Baba M. Konishi N. Emi M., Characterization of liver-cirrhosis nodules by analysis of gene-expression profiles and patterns of allelic loss, *Journal of Human Genetics*. 49(5):246-55, 2004.

459

Mohan D. **Finkelstein SD**. Swalsky PA. Sasatomi E. Wiley C. Hamilton RL. Lieberman F. Couce ME. Microdissection genotyping of gliomas: therapeutic and prognostic considerations. *Modern Pathology*. 17(11):1346-58, 2004 Nov.

460

Kremer-Tal S. Reeves HL. Narla G. Thung SN. Schwartz M. Difeo A. Katz A. Bruix J. Bioulac-Sage P. Martignetti JA. Friedman SL., Frequent inactivation of the tumor suppressor Kruppel-like factor 6 (KLF6) in hepatocellular carcinoma, *Hepatology*. 40(5):1047-52, 2004 Nov.

461

Mohan D. **Finkelstein SD**. Swalsky PA. Sasatomi E. Wiley C. Hamilton RL. Lieberman F. Couce ME., Microdissection genotyping of gliomas: therapeutic and prognostic considerations, *Modern Pathology*. 17(11):1346-58, 2004 Nov.

462

Khalid A. **Finkelstein S**. McGrath K. Molecular diagnosis of solid and cystic lesions of the pancreas. *Gastroenterology Clinics of North America*. 33(4):891-906, 2004 Dec.

463

Khalid A. Pal R. Sasatomi E. Swalsky P. Slivka A. Whitcomb D. **Finkelstein S**. Use of microsatellite marker loss of heterozygosity in accurate diagnosis of pancreaticobiliary malignancy from brush cytology samples.[see comment]. *Gut*. 53(12):1860-5, 2004 Dec.

464

Pantalone D, Pelo E, Minuti B, Giotti I, Mazza E, Falchini M, Neri B, Nesi G, Roberta Girardi L, Pulli R, Credi G, Torricelli F. p53 and DPC4 alterations in the bile of patients with pancreatic carcinoma. *Journal of Surgical Oncology*. 88(4):210-6, 2004 Dec. 15.

465

Ryschich E, Cebotari O, Fabian OV, Autschbach F, Kleeff J, Friess H, Bierhaus A, Buchler MW, Schmidt J. Loss of heterozygosity in the HLA class I region in human pancreatic cancer. *Tissue Antigens*. 64(6):696-702, 2004 Dec.

466

Gress, TM. Molecular diagnosis of pancreatobiliary malignancies in brush cytologies of biliary strictures. *Gut*. 53(12):1727-9, 2004 Dec.

467

Yu GZ, Zhu MH, Zhu Z, Ni CR, Zheng JM, Li FM. Genetic alterations and reduced expression of tumor suppressor p33(ING1b) in human exocrine pancreatic carcinoma. *World Journal of Gastroenterology*. 10(24):3597-601, 2004 Dec 15.

468

Khalid A, **Finkelstein S**, McGrath K. Molecular diagnosis of solid and cystic lesions of the pancreas. *Gastroenterology Clinics of North America*. 33(4):891-906, 2004 Dec.

469

Khalid A, Pal R, Sasatomi E, Swalsky P, Slivka A, Whitcomb D, **Finkelstein S**. Use of microsatellite marker loss of heterozygosity in accurate diagnosis of pancreaticobiliary malignancy from brush cytology samples. *Gut*. 53(12):1860-5, 2004 Dec.

470

Hunt JL. **Finkelstein SD**. Microdissection techniques for molecular testing in surgical pathology. *Archives of Pathology & Laboratory Medicine*. 128(12):1372-8, 2004 Dec.

471

Bartos JD. Stoler DL. Matsui S. Swede H. Willmott LJ. Sait SN. Petrelli NJ. Anderson GR., Genomic heterogeneity and instability in colorectal cancer: spectral karyotyping, glutathione transferase-M1 and ras, *Mutation Research*. 568(2):283-92, 2004 Dec 21.

472

Beckner, M E 1; Sasatomi, E 1; Swalsky, P A 1; Hamilton, R L 1; Pollack, I F 2; **Finkelstein, S D** 1  
LOSS OF HETEROZYGOSITY REVEALS NON-VHL ALLELIC LOSS IN HEMANGIOBLASTOMAS AT 22q13: 35.[Abstract] JN

473

Ozolek JA. Sasatomi E. Swalsky PA. Rao U. Krasinskas A. **Finkelstein SD**. Inflammatory fibroid polyps of the gastrointestinal tract: clinical, pathologic, and molecular characteristics. *Applied Immunohistochemistry & Molecular Morphology*. 12(1):59-66, 2004

474

Sasatomi E. Johnson LR. Aldeeb DN. Lomago DM. Thompson JW Jr. Swalsky PA. Luketich JD. Fernando HC. **Finkelstein SD**. Yousem SA. Genetic profile of cumulative mutational damage associated with early pulmonary adenocarcinoma: bronchioloalveolar carcinoma vs. stage I invasive adenocarcinoma. *American Journal of Surgical Pathology*. 28(10):1280-8, 2004

475

Marsh JW. Geller DA. **Finkelstein SD**. Donaldson JB. Dvorchik I. Role of liver transplantation for hepatobiliary malignant disorders. *Lancet Oncology*. 5(8):480-8, 2004

476

Yu YP. Landsittel D. Jing L. Nelson J. Ren B. Liu L. McDonald C. Thomas R. Dhir R. **Finkelstein S.** Michalopoulos G. Becich M. Luo JH. Expression alterations in prostate cancer predicting tumor aggression and preceding development of malignancy. *Journal of Clinical Oncology*. 22(14):2790-9, 2004

477

Tse LL. **Finkelstein SD.** Siegler RW. Barnes L. Osteoclast-type giant cell neoplasm of salivary gland. A microdissection-based comparative genotyping assay and literature review: extraskelatal "giant cell tumor of bone" or osteoclast-type giant cell "carcinoma"? *American Journal of Surgical Pathology*. 28(7):953-61, 2004

478

**Finkelstein SD.** Mohan D. Hamilton RL. Sasatomi E. Swalsky PA. Lieberman FS. based genotyping assists discrimination of reactive gliosis from glioma. *American Journal of Clinical Pathology*. 121(5):671-8, 2004

479

Mohan D. Rolston R. Pal R. Swalsky PA. Sasatomi E. Lee RE. **Finkelstein SD.** Genotyping of archival fixative treated tissue for Gaucher disease *Human Pathology*. 35(4):482-7, 2004

480

Ionescu DN. Sasatomi E. Aldeeb D. Omalu BI. **Finkelstein SD.** Swalsky PA. Yousem SA. meningotheial-like nodules: a genotypic comparison with meningiomas *American Journal of Surgical Pathology*. 28(2):207-14, 2004

481

Randhawa P. Ho A. Shapiro R. Vats A. Swalsky P. **Finkelstein S.** Uhrmacher J. Weck K. Correlates of quantitative measurement of BK polyomavirus (BKV) DNA with clinical course of BKV infection in renal transplant patients. *Journal of Clinical Microbiology*. 42(3):1176-80, 2004

482

Agaram NP. Collins BM. Barnes L. Lomago D. Aldeeb D. Swalsky P. **Finkelstein S.** Hunt JL. Molecular analysis to demonstrate that odontogenic keratocysts are neoplastic. *Archives of Pathology & Laboratory Medicine*. 128(3):313-7, 2004

483

Fernando HC. Sasatomi E. Christie NA. Buenaventura PO. **Finkelstein SD.** Yousem SA. Soose R. Close JM. Luketich JD. of mutational changes in involved N1 lymph nodes with those in primary tumors in stage II non-small cell lung cancer: a pilot study. *Journal of Thoracic & Cardiovascular Surgery*. 127(1):87-91, 2004

484

Sheikh HA. Tometsko M. Niehouse L. Aldeeb D. Swalsky P. **Finkelstein S.** Barnes EL. Hunt JL. Molecular genotyping of medullary thyroid carcinoma can predict tumor recurrence. *American Journal of Surgical Pathology*. 28(1):101-6, 2004

485

Lee JY. **Finkelstein S.** Hamilton RL. Rekha R. King JT Jr. Omalu B. Loss of heterozygosity analysis of benign, atypical, and anaplastic meningiomas. [Journal Article] *Neurosurgery*. 55(5):1163-73, 2004

486

Yu YP, Paranjpe S, Nelson J, **Finkelstein S**, Ren B, Kokkinakis D, Michalopoulos G, Luo JH. High throughput screening of methylation status of genes in prostate cancer using an oligonucleotide methylation array. *Carcinogenesis*. 26(2):471-9, 2005

487

Krishnamurti U, Sasatomi E, Swalsky PA, Jones MW, **Finkelstein SD**. Microdissection-based mutational genotyping of serous borderline tumors of the ovary. *International Journal of Gynecological Pathology*. 24(1):56-61, 2005

488

Xi L, Luketich JD, Raja S, Gooding WE, Litle VR, Coello MC, **Finkelstein SD**, Chestney ML, Landreneau RJ, Hughes SJ, Godfrey TE. Molecular staging of lymph nodes from patients with esophageal adenocarcinoma. *Clinical Cancer Research*. 11(3):1099-109, 2005

489

Dacic S, **Finkelstein SD**, Yousem SA. Clonal selection of adenocarcinoma of the lung as determined by loss of heterozygosity. *Experimental & Molecular Pathology*. 78(2):135-9, 2005

490

Herrera LJ, El-Hefnawy T, Queiroz de Oliveira PE, Raja S, **Finkelstein S**, Gooding W, Luketich JD, Godfrey TE, Hughes SJ. The HGF receptor c-Met is overexpressed in esophageal adenocarcinoma. *Neoplasia (New York)*. 7(1):75-84, 2005

491

Khalid A, **Finkelstein S**, McGrath K. Molecular diagnosis of solid and cystic lesions of the pancreas. *Clinics in Laboratory Medicine*. 25(1):101-16, 2005

492

Rao UN, Goodman M, Chung WW, Swalsky P, Pal R, **Finkelstein S**. Molecular analysis of primary and recurrent giant cell tumors of bone. *Cancer Genetics & Cytogenetics*. 158(2):126-36, 2005

493

Dacic S, Ionescu DN, **Finkelstein S**, Yousem SA. Patterns of allelic loss of synchronous adenocarcinomas of the lung. *American Journal of Surgical Pathology*. 29(7):897-902, 2005

494

Sheikh HA, Sasatomi E, **Finkelstein S**, Yousem SA. Comparative mutational analysis of pulmonary scar epithelium, bronchioloalveolar carcinomas, and invasive well-differentiated pulmonary adenocarcinomas: a molecular approach to diagnostically challenging cases. *American Journal of Surgical Pathology*. 29(10):1267-73, 2005

495

Khalid A, McGrath KM, Zahid M, Wilson M, Brody D, Swalsky P, Moser AJ, Lee KK, Slivka A, Whitcomb DC, **Finkelstein S**. The role of pancreatic cyst fluid molecular analysis in predicting cyst pathology. [Journal Article] *Clinical Gastroenterology & Hepatology*. 3(10):967-73, 2005

496

Smeds J, Warnberg F, Norberg T, Nordgren H, Holmberg L, Bergh J., Ductal carcinoma in situ of the breast with different histopathological grades and corresponding new breast tumour events: analysis of loss of heterozygosity, *Acta Oncologica*. 44(1):41-9, 2005.

497

Florida G., Grilli G., Salvatore M., Pescucci C., Moore PS, Scarpa A, Taruscio D. Chromosomal alterations detected by comparative genomic hybridization in nonfunctioning endocrine pancreatic tumors. *Cancer Genetics & Cytogenetics*. 156(1):23-30, 2005 Jan 1.

498

Mollemann M. Wolter M. Felsberg J. Collins VP. Reifenberger G., Frequent promoter hypermethylation and low expression of the MGMT gene in oligodendroglial tumors. *International Journal of Cancer*. 113(3):379-85, 2005 Jan 20.

499

Sato N., Parker AR., Fukushima N., Miyagi Y., Iacobuzio-Donahue CA., Eshleman JR., Goggins M., Epigenetic inactivation of TFPI-2 as a common mechanism associated with growth and invasion of pancreatic ductal adenocarcinoma. *Oncogene*. 24(5):850-8, 2005 Jan 27.

500

Barbashina V. Salazar P. Holland EC. Rosenblum MK. Ladanyi M., Allelic losses at 1p36 and 19q13 in gliomas: correlation with histologic classification, definition of a 150-kb minimal deleted region on 1p36, and evaluation of CAMTA1 as a candidate tumor suppressor gene, *Clinical Cancer Research*. 11(3):1119-28, 2005 Feb 1.

501

Altimari A, Gruppioni E, Fiorentino M, Petrarole R, Pinna AD, Petropulacos K, Ridolfi L, Costa AN, Grigioni WF, Grigioni AD. Genomic allelotyping for distinction of recurrent and de novo hepatocellular carcinoma after orthotopic liver transplantation. *Diagn Mol Pathol*. 2005 Mar; 14(1): 34-8.

502

Dacic S. **Finkelstein SD**. Yousem SA., Clonal selection of adenocarcinoma of the lung as determined by loss of heterozygosity, *Experimental & Molecular Pathology*. 78(2):135-9, 2005 Apr.

503

Lin YW. Lee HS. Chen CH. Huang GT. Lee PH. Sheu JC., Clonality analysis of multiple hepatocellular carcinomas by loss of heterozygosity pattern determined by chromosomes 16q and 13q, *Journal of Gastroenterology & Hepatology*. 20(4):536-46, 2005 Apr.

504

Goldstein NS. Vicini FA. Hunter S. Odish E. Forbes S. Kraus D. Kestin LL., Molecular clonality determination of ipsilateral recurrence of invasive breast carcinomas after breast-conserving therapy: comparison with clinical and biologic factors, *American Journal of Clinical Pathology*. 123(5):679-89, 2005 May.

505

Zhang SH. Cong WM. Xian ZH. Wu MC., Clinicopathological significance of loss of heterozygosity and microsatellite instability in hepatocellular carcinoma in China, *World Journal of Gastroenterology*. 11(20):3034-9, 2005 May 28.

506

Ohgaki H. Kleihues P., Population-based studies on incidence, survival rates, and genetic alterations in astrocytic and oligodendroglial gliomas, *Journal of Neuropathology & Experimental Neurology*. 64(6):479-89, 2005 Jun.

507

Kim SH. Kim H. Kim TS, Clinical, histological, and immunohistochemical features predicting 1p/19q loss of heterozygosity in oligodendroglial tumors, *Acta Neuropathologica*. 110(1):27-38, 2005 Jul.

508

Law ME. Templeton KL. Kitange G. Smith J. Misra A. Feuerstein BG. Jenkins RB., Molecular cytogenetic analysis of chromosomes 1 and 19 in glioma cell lines, *Cancer Genetics & Cytogenetics*. 160(1):1-14, 2005 Jul 1.

509

Tischoff I. Markwarth A. Witzigmann H. Uhlmann D. Hauss J. Mirmohammadsadegh A. Wittekind C. Hengge UR. Tannapfel A. Allele loss and epigenetic inactivation of 3p21.3 in malignant liver tumors, *International Journal of Cancer*. 115(5):684-9, 2005 Jul 10.

510

Matsubayashi H. Skinner HG. Iacobuzio-Donahue C. Abe T. Sato N. Riall TS. Yeo CJ. Kern SE. Goggins M., Pancreaticobiliary cancers with deficient methylenetetrahydrofolate reductase genotypes, *Clinical Gastroenterology & Hepatology*. 3(8):752-60, 2005 Aug.

511

Kujas M. Lejeune J. Benouaich-Amiel A. Criniere E. Laigle-Donadey F. Marie Y. Mokhtari K. Polivka M. Bernier M. Chretien F. Couvelard A. Capelle L. Duffau H. Cornu P. Broet P. Thillet J. Carpentier AF. Sanson M. Hoang-Xuan K. Delattre JY., Chromosome 1p loss: a favorable prognostic factor in low-grade gliomas, *Annals of Neurology*. 58(2):322-6, 2005 Aug.

512

Rindi G., Bordi C. Endocrine Tumours of the gastrointestinal tract: aetiology, molecular pathogenesis and genetics. *Best Practice & Research in Clinical Gastroenterology*. 19(4):519-34, 2005 Aug.

513

Pizzi S., Azzoni C., Bottarelli L., Campanini N., D'Adda T., Pasquali C., Rossi G., Rindi G., Bordi C. RASSF1A promoter methylation and 3p21.3 loss of heterozygosity are features of foregut, but not midgut and hindgut, malignant endocrine tumours. *Journal of Pathology*. 206(4):409-16, 2005 Aug.

514

Hunt JL. Carty SE. Yim JH. Murphy J. Barnes L., Allelic loss in parathyroid neoplasia can help characterize malignancy, *American Journal of Surgical Pathology*. 29(8):1049-55, 2005 Aug.

515

Idbaih A. Marie Y. Pierron G. Brennetot C. Hoang-Xuan K. Kujas M. Mokhtari K. Sanson M. Lejeune J. Aurias A. Delattre O. Delattre JY., Two types of chromosome 1p losses with opposite significance in gliomas, *Annals of Neurology*. 58(3):483-7, 2005 Sep.

516

Sheikh HA, Sasatomi E, **Finkelstein S**, Yousem SA., Comparative mutational analysis of pulmonary scar epithelium, bronchioloalveolar carcinomas, and invasive well-differentiated pulmonary adenocarcinomas: a molecular approach to diagnostically challenging cases, *American Journal of Surgical Pathology*. 29(10):1267-73, 2005 Oct.

517

Gupta M, Djalilvand A, Brat DJ., Clarifying the diffuse gliomas: an update on the morphologic features and markers that discriminate oligodendroglioma from astrocytoma, *American Journal of Clinical Pathology*. 124(5):755-68, 2005 Nov.

518

Yang YM, Liu TH, Chen YJ, Jiang WJ, Qian JM, LuX, Gao J., Wu SF, Sang XT, Chen J. Chromosome 1q loss of heterozygosity frequently occurs in sporadic insulinomas and is associated with tumor malignancy. *International Journal of Cancer*. 117(2): 234-40, 2005 Nov 1.

519

Chen CF, Yeh SH, Chen DS, Chen PJ, Jou YS., Molecular genetic evidence supporting a novel human hepatocellular carcinoma tumor suppressor locus at 13q12.11, *Genes, Chromosomes & Cancer*. 44(3):320-8, 2005 Nov.

520

Tse DT, **Finkelstein SD**, Benedetto P, Dubovy S, Schiffman J, Feuer WJ. Microdissection genotyping analysis of the effect of intraarterial cytoreductive chemotherapy in the treatment of lacrimal gland adenoid cystic carcinoma. *American Journal of Ophthalmology*. 141(1):54-61, 2006

521

Orita H, Sakamoto N, Ajioka Y, Terai T, Hino O, Sato N, Shimoda T, Kamano T, Tsurumaru M, Fujii H., Allelic loss analysis of early-stage flat-type colorectal tumors, *Annals of Oncology*. 17(1):43-9, 2006 Jan.

522

Hage M, Siersema PD, Vissers KJ, Dinjens WN, Steyerberg EW, Haringsma J, Kuipers EJ, van Dekken H. Genomic analysis of Barrett's esophagus after ablative therapy: persistence of genetic alterations at tumor suppressor loci. *International Journal of Cancer*. 118(1):155-60, 2006 Jan 1.

523

Arjona D, Bello MJ, Rey JA, EGFR intragenic loss and gene amplification in astrocytic gliomas, *Cancer Genetics & Cytogenetics*. 164(1):39-43, 2006 Jan 1.

524

Zhang L., Chenwei L., Mahmood R., van Golen K., Greenson J., Li G., D'Silva, NJ., Li X., Burant CF., Logsdon CD, Simeone DM. Identification of a putative tumor suppressor gene Rap1GAP in pancreatic cancer. *Cancer Research*. 66(2):898-906, 2006 Jan 15.

525

Giordano TJ. Molecular profiling and personalized predictive pathology: challenge to the academic surgical pathology community. *Am J Surg Pathol*. 2006 Mar; 30(3): 402-4

526

Hata N, Yoshimoto K, Yokoyama N, Mizoguchi M, Shono T, Guan Y, Tahira T, Kukita Y, Higasa K, Nagata S, Iwaki T, Sasaki T, Hayashi K., Allelic losses of chromosome 10 in glioma tissues detected by quantitative single-strand conformation polymorphism analysis, *Clinical Chemistry*. 52(3):370-8, 2006 Mar.

527

Dietel M, Sers C. Personalized medicine and development of targeted therapies: the upcoming challenge for diagnostic molecular pathology. A review. *Virchows Arch*. 2006 Apr 22; [Epub ahead of print]

528

Lomo LC, Blount PL, Sanchez CA, Li X, Galipeau PC, Cowan DS, Ayub K, Rabinovitch PS, Reid BJ, Odze RD. Crypt dysplasia with surface maturation: a clinical, pathologic, and molecular study of a Barrett's esophagus cohort. *American Journal of Surgical Pathology*. 30(4):423-35, 2006 Apr.

529

Jeuken JW, van der Maazen RW, Wesseling P. Molecular diagnostics as a tool to personalize treatment in adult glioma patients. *Technol Cancer Res Treat*. 2006 Jun; 5(3): 215-30.

530

Bartoletti R, Cai T, Dal Canto M, Boddi V, Nesi G, Piazzini M. Multiplex polymerase chain reaction for microsatellite analysis of urine sediment cells: a rapid and inexpensive method for diagnosing and monitoring superficial transitional bladder cell carcinoma. *J Urol*. 2006 Jun; 175(6): 2032-7

531

Fuller CE, Perry A. Molecular diagnostics in central nervous system tumors. *Adv Anat Pathol*. 2006 Jul; 12(4): 180-94

---

#### BOOK CHAPTERS

**Finkelstein SD**, Olfactory Neuroblastoma in *Pathology and Genetics of Tumors of the Nervous System* edited by Kleihues P and Cavenee WK, for the World Health Organization, International Agency for Research on Cancer, Lyon, First Edition, 1997

**Finkelstein SD**, Olfactory Neuroblastoma in *Pathology and Genetics of Tumors of the Nervous System* edited by Kleihues P and Cavenee WK, for the World Health Organization, International Agency for Research on Cancer, Lyon, Second Edition, 1999

**Finkelstein SD, Lieberman FS**, TP53 Mutation and Li-Fraumeni Syndrome in *Molecular Pathology in Clinical Practice* edited by Leonard DGB, Bagg A, Caliendo A, Kaul K, Snow-Bailey K, Van Deerlin V Springer-Verlag, New York, New York, 2005